



Juno JIRAM

Report JM0002

JIR-IAPS-SY-003-2017

Version 1.0

July 10, 2017

Prepared by:

R. Noschese, A. Cicchetti, A. Mura, S. Brooks

Approved by:

A. Adriani

		JIR-IAPS-SY-001-2017			
		Issue	1.0	05/04/17	
JUNO/JIRAM		Page	2	of	51

Table of Contents

1 INTRODUCTION.....	3
2 ACTIVITY DESCRIPTION.....	3
3 SCIENTIFIC GOALS	8
4 DATA COLLECTION OVERWIER	10
A.1 Commanding file (sarf)	13

List of Figures

Figure 1: <i>integrated spectrum ; pointing reconstruction with IO.</i>	6
Figure 2: <i>JUPITER spectral reconstruction for each bands</i>	7

List of Tables

Table 1: <i>Scientific Goals</i>	10
Table 2: <i>Data Overwier</i>	12

1 INTRODUCTION


This document describes the activities that JIRAM performed during the activity period JM0002, with particular attention to the comparison between the expected data and that achieved, keeping track of the configuration of the instrument with commanding file (sarf).

2 ACTIVITY DESCRIPTION

In this activity period have been performed the observations of the JUPITER moons: Ganymede, Europa and IO beyond those of JUPITER.


IO spectrum has been measured by JIRAM four times:

- Two along with JUPITER where IO is in the dayside of JUPITER
- Two with EUROPA where IO is in the night side.






Io spectrum - 2016 AUG 02 01.41.13




Io spectrum - 2016 AUG 02 22.03.15






Io spectrum - 2016 AUG 03 01.44.30



Europa spectrum - 2016 AUG 03 01.53.08






Figure 1: *integrated spectrum ; pointing reconstruction with IO.*




Figure 2: JUPITER spectral reconstruction for each band

3 SCIENTIFIC GOALS

Below is a table that describes for each science block in the commanding file the relative operative mode and the scientific objectives. The files relating to the various science blocks are shown in the file “JIR_STATUS_EDR_2016213T082335_V01.CSV” in the INDEX directory.

JRM (saf)	Operative Mode	Goals
JRM_004	CAL_I1_S1	CALIBRATION
JRM_005	SCI_I2_S1	GANYMEDE
JRM_006	SCI_I1_S0	GANYMEDE
JRM_010	SCI_I2_S1	GANYMEDE
JRM_011	SCI_I1_S0	GANYMEDE
JRM_012	CAL_I1_S1	CALIBRATION
JRM_018	SCI_I2_S1	JUPITER, IO
JRM_020	SCI_I1_S0	JUPITER, IO
JRM_024	SCI_I2_S1	JUPITER, IO
JRM_025	SCI_I1_S0	JUPITER, IO
JRM_026	CAL_I1_S1	CALIBRATION
JRM_032	CAL_I1_S1	CALIBRATION
JRM_033	SCI_I2_S1	EUROPA, IO
JRM_034	SCI_I1_S0	EUROPA, IO
JRM_038	SCI_I2_S1	EUROPA, IO
JRM_039	SCI_I1_S0	EUROPA, IO
JRM_040	CAL_I1_S1	CALIBRATION

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	9	of

JRM_046	CAL_I1_S1	CALIBRATION
JRM_047	SCI_I1_S1	COMMISSIONING
JRM_048	SCI_I1_S1	COMMISSIONING
JRM_049	SCI_I1_S1	COMMISSIONING
JRM_050	SCI_I1_S1	COMMISSIONING
JRM_051	SCI_I1_S1	COMMISSIONING
JRM_052	SCI_I1_S1	COMMISSIONING
JRM_053	SCI_I1_S1	COMMISSIONING
JRM_054	SCI_I1_S1	COMMISSIONING
JRM_55	SCI_I2_S1	HOT SPOT
JRM_56	SCI_I2_S1	HOT SPOT
JRM_57	SCI_I2_S1	HOT SPOT
JRM_58	SCI_I2_S1	HOT SPOT
JRM_59	SCI_I2_S1	HOT SPOT
JRM_60	SCI_I2_S1	HOT SPOT
JRM_61	SCI_I2_S1	HOT SPOT
JRM_62	SCI_I2_S1	HOT SPOT
JRM_63	SCI_I2_S1	HOT SPOT
JRM_64	SCI_I2_S1	HOT SPOT
JRM_65	SCI_I2_S1	HOT SPOT
JRM_66	SCI_I2_S1	HOT SPOT
JRM_67	SCI_I2_S1	HOT SPOT

Table 1: Scientific Goals

4 DATA COLLECTION OVERWIER

Below is a table that gives an overview of the data collected during the activity period JM0002. The table describes, for each science block in the commanding file, the programmed operative modes, along with the actual data collected.

JRM (saf)	Operative Mode	Observations	Packets Retrived	Packets Exepected	Missing Observations SPE	Missing Observations IMG
JRM_004	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_005	SCI_I2_S1	190 IMG 190 SPE	1617	1710	124-125-126-127- 128-134-135-188- 189-190	124-124-126-127- 133-134-135-187- 188-189-190
JRM_006	SCI_I1_S0	40 IMG	234	240	N/A	40
JRM_010	SCI_I2_S1	190 IMG 190 SPE	1683	1710	187-188-189-190	187-188-189-190
JRM_011	SCI_I1_S0	40 IMG	234	240	N/A	40
JRM_012	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_018	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_019	SCI_I2_S1	190 IMG 190 SPE	1181 + SYNS_WORD	1710	187-188-189-190	187-188-189-190
JRM_020	SCI_I1_S0	40 IMG	240	240	0	0
JRM_024	SCI_I2_S1	190 IMG 190 SPE	1676	1710	187-188-189-190	187-188-189-190
JRM_025	SCI_I1_S0	40 IMG	240	240	0	0

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM			Page	11

JRM_026	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_032	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_033	SCI_I2_S1	190 IMG 190 SPE	1676	1710	187-188-189-190	187-188-189-190
JRM_034	SCI_I1_S0	40 IMG	240	240	0	0
JRM_038	SCI_I2_S1	190 IMG 190 SPE	1519	1710	30-32-52-59-60-83- 188-189-190	25-28-43-44-45-47- 54-57-71-72-76-79- 86-188-189-190
JRM_039	SCI_I1_S0	40 IMG	240	240	0	0
JRM_040	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_046	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_047	SCI_I1_S1	80 IMG 80 SPE	949	960	80	80
JRM_048	SCI_I1_S1	75 IMG 75 SPE	888	900	75	75
JRM_049	SCI_I1_S1	80 IMG 80 SPE	945	960	79-80	80
JRM_050	SCI_I1_S1	75 IMG 75 SPE	887	900	75	75
JRM_051	SCI_I1_S1	80 IMG 80 SPE	949	960	80	80
JRM_052	SCI_I1_S1	75 IMG 75 SPE	890	900	75	75

JRM_053	SCI_I1_S1	80 IMG 80 SPE	936	960	79-80	79-80
JRM_054	SCI_I1_S1	75 IMG 75 SPE	880	900	74-75	75
JRM_055	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_056	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_057	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_058	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_059	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_060	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_061	SCI_I2_S1	160 IMG 160 SPE	1409	1440	157-158-159-160	158-159-160
JRM_062	SCI_I2_S1	153 IMG 153 SPE	1350	1377	151-152-153	151-152-153
JRM_063	SCI_I2_S1	153 IMG 153 SPE	1350	1377	151-152-153	151-152-153
JRM_064	SCI_I2_S1	153 IMG 153 SPE	1350	1377	151-152-153	151-152-153
JRM_065	SCI_I2_S1	153 IMG 153 SPE	1359	1377	151-152-153	151-152-153
JRM_066	SCI_I2_S1	153 IMG 153 SPE	1350	1377	152-153	152-153
JRM_067	SCI_I2_S1	113 IMG 113 SPE	999	1017	112-113	112-113

Table 2: Data Overview

			JIR-IAPS-SY-001-2017	
			Issue	1.0
JUNO/JIRAM		Page	13	of 51

A.1 Commanding file (sarf)

```

CCSD3ZF0000100000001NJPL3KS0L015$$MARK$$;
MISSION_NAME = JUNO;
SPACECRAFT_NAME = JUNO;
DATA_SET_ID = SPACECRAFT_ACTIVITY_SEQUENCE_JRM;
FILE_NAME = jm0002_JRMc.sarf;
APPLICABLE_START_TIME = 2016-211T00:00:00.000;
APPLICABLE_STOP_TIME = 2016-239T12:00:00.000;
PRODUCT_CREATION_TIME = 2016-182T13:35:35.000;
PRODUCER_ID = JRMTEAM;
SEQ_ID = jm0002_JRMc;
HOST_ID = JRM_CMD_jm0002_V10.jrm;
CCSD3RE00000$$MARK$$NJPL3IF0M01300000001;
$$JNO      SPACECRAFT ACTIVITY SEQUENCE FILE
*****
*PROJECT      JNO
*SPACECRAFT   61
*OPERATOR     JRMTEAM
*FILE_CMPLT   TRUE
*DATE         Thu Jun 30 13:35:35 2016
*BEGIN        2016-211T00:00:00.000
*CUTOFF       2016-239T12:00:00.000
*TITLE        jm0002_JRMc
*EPOCHS_DEF
*jm0002_JRM,      2016-211T00:00:00.000
*EPOCHS_END
*Input files used:
*File Type   Last modified           File name
*****
$$EOH
$$EOD
request(JRM_Sequence_Management_Request,
        START_TIME,2016-211T00:00:00.000,
        TITLE, "JRM_MAINTENANCE",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")

activity(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        SEQTRAN_directive
        (VML_START,2001-001T00:00:00.000,2030-
001T00:00:00.000,"ABSLTE","jm0002_JRM","jm0002_JRM.abs","d:/seq")
        ),

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	14	of

```

command(2,
    SCHEDULED_TIME,\00:00:30\,FROM_PREVIOUS_START,
    FILE_DELETE("d:/seq/jm0002_JRM.abs")
),
command(3,
    SCHEDULED_TIME,\028T11:59:58\,FROM_REQUEST_START,
    VM_LOAD(20,"d:/seq/jm0003_JRM.abs")
),
end;

request(JRM_001,
    START_TIME,2016-213T02:59:04.000,
    TITLE,"jm0002_JRM_Heater_Op",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH","OPERATIONAL")
),
command(2,
    SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","OPERATIONAL")
),
command(3,
    SCHEDULED_TIME,\03:10:00\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BP","OPERATIONAL")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_002,
    START_TIME,2016-213T08:20:04.000,
    TITLE,"jm0002_JRM-POWER_ON",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_003,
    START_TIME,2016-213T08:22:47.000,
    TITLE,"jm0002_JRM_StandBy",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
JUNO/JIRAM			Page	15	of 51

```

        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(111,10)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STANDBY("ON","ON","ON")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,956,2,150,"LOW","LOW","POINT",-
57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_004,
    START_TIME,2016-213T08:22:59.000,
    TITLE,"jm0002_JRM_Calibration",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
    ),
    command(5,
        SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
JUNO/JIRAM			Page	16	of 51

```

request(JRM_005,
    START_TIME,2016-213T08:27:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,1,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-
64,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede Spe\"
    ),
end;

request(JRM_006,
    START_TIME,2016-213T10:07:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,5000,0,"LOW","LOW","POINT",-57343,5000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
    ),
    command(3,

```


		JIR-IAPS-SY-001-2017		
		Issue	1.0	05/04/17
JUNO/JIRAM		Page	17	of 51

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede Img\"
    ),
end;

request(JRM_007,
    START_TIME,2016-213T11:54:19.000,
    TITLE, "jm0002_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        VM_LOAD(21,\"d:/seq/hlfp_spm_safe_jiram.mod")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_008,
    START_TIME,2016-213T11:54:35.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    spawn(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_009,
    START_TIME,2016-213T11:57:18.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	18	of

```

PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(111,10)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STANDBY("ON","ON","ON")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,956,2,150,"LOW","LOW","POINT",-
57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"NaN\"
),
end;

request(JRM_010,
START_TIME,2016-213T11:57:30.000,
TITLE, "jm0002_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,1,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-
64,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	19	of

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede Spe\"
    ),
end;

request(JRM_011,
    START_TIME,2016-213T14:07:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,5000,0,"LOW","LOW","POINT",-57343,5000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede Img\"
    ),
end;

request(JRM_012,
    START_TIME,2016-213T14:28:29.000,
    TITLE, "jm0002_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
JUNO/JIRAM			Page	20	of 51

```

        JRM_GET_PAR(6000)
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
    ),
    command(5,
        SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_013,
    START_TIME,2016-213T14:32:49.000,
    TITLE, "jm0002_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_014,
    START_TIME,2016-213T14:33:05.000,
    TITLE, "jm0002_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        THRM_SET_PT_SEL("JIRAM_OH","NON_OPERATIONAL")
    ),
    command(2,
        SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_DECON","NON_OPERATIONAL")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_ELECT_BP","NON_OPERATIONAL")

```

			JIR-IAPS-SY-001-2017	
			Issue	1.0
JUNO/JIRAM			Page	21 of 51

```

),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_015,
    START_TIME,2016-214T15:59:15.000,
    TITLE, "jm0002_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH","OPERATIONAL")
),
command(2,
    SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","OPERATIONAL")
),
command(3,
    SCHEDULED_TIME,\03:10:00\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BP","OPERATIONAL")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_016,
    START_TIME,2016-214T21:20:15.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_017,
    START_TIME,2016-214T21:22:58.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(111,10)
),

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	22	of

```

command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STANDBY("ON","ON","ON")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,956,2,150,"LOW","LOW","POINT",-
57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_018,
    START_TIME,2016-214T21:23:10.000,
    TITLE,"jm0002_JRM_Calibration",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
    SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_019,
    START_TIME,2016-214T21:27:30.000,
    TITLE,"jm0002_JRM_Science",

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
JUNO/JIRAM			Page	23	of 51

```

REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2000)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,2,1000,5000,"LOW","LOW","POINT",-57343,1000,5000,"LOW","LOW","SPIN",-
191,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Jupiter Io Spe\"
),
end;

request(JRM_020,
START_TIME,2016-214T23:07:30.000,
TITLE, "jm0002_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2000)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,1000,0,"LOW","LOW","POINT",-57343,1000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),

```

			JIR-IAPS-SY-001-2017	
			Issue	1.0
	JUNO/JIRAM		Page	24

```

command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Jupiter Io Img\"
),
end;

request(JRM_021,
    START_TIME,2016-215T00:54:19.000,
    TITLE, "jm0002_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_022,
    START_TIME,2016-215T00:54:35.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_023,
    START_TIME,2016-215T00:57:18.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,

```


			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	25	of

```

        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(111,10)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STANDBY("ON","ON","ON")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
",0,956,2,150,"LOW","LOW","POINT",-
57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_024,
    START_TIME,2016-215T00:57:30.000,
    TITLE,"jm0002_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2000)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
",0,2,1000,5000,"LOW","LOW","POINT",-57343,1000,5000,"LOW","LOW","SPIN",-
191,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Jupiter Io Spe\"
    ),

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	26	of

end;

```
request(JRM_025,
  START_TIME,2016-215T03:07:30.000,
  TITLE, "jm0002_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
  command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2000)
  ),
  command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,1000,0,"LOW","LOW","POINT",-57343,1000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
  ),
  command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
  ),
  command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
  ),
  command(5,
    SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
  ),
  command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
  ),
  note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Jupiter Io Img\"
  ),
end;
```

```
request(JRM_026,
  START_TIME,2016-215T03:28:29.000,
  TITLE, "jm0002_JRM_Calibration",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
  command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
  ),
  command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
  ),
  command(3,
```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	27	of

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
    ),
    command(5,
        SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_027,
    START_TIME,2016-215T03:32:49.000,
    TITLE,"jm0002_JRM-POWER_OFF",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_028,
    START_TIME,2016-215T03:33:05.000,
    TITLE,"jm0002_JRM_Heater_Op",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        THRM_SET_PT_SEL("JIRAM_OH","NON_OPERATIONAL")
    ),
    command(2,
        SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_DECON","NON_OPERATIONAL")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_ELECT_BP","NON_OPERATIONAL")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	28	of

```

        TEXT, \ "NaN" \
    ),
end;

request(JRM_029,
    START_TIME, 2016-215T15:59:15.000,
    TITLE, "jm0002_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH", "OPERATIONAL")
),
command(2,
    SCHEDULED_TIME, \00:00:01\, FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON", "OPERATIONAL")
),
command(3,
    SCHEDULED_TIME, \03:10:00\, FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BP", "OPERATIONAL")
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \ "NaN" \
),
end;

request(JRM_030,
    START_TIME, 2016-215T21:20:15.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    REQ_ENGINE_ID, 21, RT_on_board_block(jiram_pwr_on)
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \ "NaN" \
),
end;

request(JRM_031,
    START_TIME, 2016-215T21:22:58.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(111, 10)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_STANDBY("ON", "ON", "ON")

```

			JIR-IAPS-SY-001-2017	
			Issue	1.0
JUNO/JIRAM			Page	29 of 51

```

),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,956,2,150,"LOW","LOW","POINT",-
57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_032,
    START_TIME,2016-215T21:23:10.000,
    TITLE, "jm0002_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
    SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_033,
    START_TIME,2016-215T21:27:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

```

		JIR-IAPS-SY-001-2017		
		Issue	1.0	05/04/17
JUNO/JIRAM		Page	30	of 51

```

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,1,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-
96,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Europa Io Spe\"
),
end;

request(JRM_034,
    START_TIME,2016-215T23:07:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,5000,0,"LOW","LOW","POINT",-57343,5000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()

```

			JIR-IAPS-SY-001-2017	
			Issue	1.0
	JUNO/JIRAM		Page	31

```

),
command(5,
    SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Europa Io Img\"
),
end;

request(JRM_035,
    START_TIME,2016-216T00:54:19.000,
    TITLE, "jm0002_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    VM_LOAD(21,\"d:/seq/hlfp_spm_safe_jiram.mod")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_036,
    START_TIME,2016-216T00:54:35.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_037,
    START_TIME,2016-216T00:57:18.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(111,10)
),

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	32	of

```

command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STANDBY("ON","ON","ON")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
",0,956,2,150,"LOW","LOW","POINT",-
57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_038,
    START_TIME,2016-216T00:57:30.000,
    TITLE,"jm0002_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
",0,1,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-
96,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Europa Io Spe\"
    ),
end;

request(JRM_039,

```


			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	33	of

```

START_TIME,2016-216T03:07:30.000,
TITLE, "jm0002_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,5000,0,"LOW","LOW","POINT",-57343,5000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Europa Io Img\"
),
end;

request(JRM_040,
START_TIME,2016-216T03:28:29.000,
TITLE, "jm0002_JRM_Calibration",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	34	of

```

command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
    SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_041,
    START_TIME,2016-216T03:32:49.000,
    TITLE,"jm0002_JRM-POWER_OFF",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_042,
    START_TIME,2016-216T03:33:05.000,
    TITLE,"jm0002_JRM_Heater_Op",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH","NON_OPERATIONAL")
),
command(2,
    SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","NON_OPERATIONAL")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BP","NON_OPERATIONAL")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

```

		JIR-IAPS-SY-001-2017		
		Issue	1.0	05/04/17
JUNO/JIRAM		Page	35	of 51

```

request(JRM_043,
    START_TIME,2016-238T01:22:44.000,
    TITLE, "jm0002_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH","OPERATIONAL")
),
command(2,
    SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","OPERATIONAL")
),
command(3,
    SCHEDULED_TIME,\03:10:00\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BP","OPERATIONAL")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\ "NaN"\
    ),
end;

request(JRM_044,
    START_TIME,2016-238T06:43:44.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\ "NaN"\
    ),
end;

request(JRM_045,
    START_TIME,2016-238T06:46:27.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(111,10)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STANDBY("ON","ON","ON")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	36	of

```

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW","POINT",-57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"NaN\"
),
end;

request(JRM_046,
START_TIME,2016-238T06:46:39.000,
TITLE,"jm0002_JRM_Calibration",
REQUESTOR,"JRMTEAM",
PROCESSOR,"VC2",
KEY,"No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"NaN\"
),
end;

request(JRM_047,
START_TIME,2016-238T06:50:59.000,
TITLE,"jm0002_JRM_Science",
REQUESTOR,"JRMTEAM",
PROCESSOR,"VC2",
KEY,"No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2470)

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
JUNO/JIRAM			Page	37	of 51

```

),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",80,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
573,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:40:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Commissioning\"
),
end;

request(JRM_048,
    START_TIME,2016-238T07:33:29.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",75,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
13,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:38:09\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-001-2017	
			Issue	1.0
JUNO/JIRAM			Page	38 of 51

```

        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Commissioning\"
    ),
end;

request(JRM_049,
    START_TIME,2016-238T09:30:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",80,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
573,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:40:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Commissioning\"
    ),
end;

request(JRM_050,
    START_TIME,2016-238T10:13:29.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	39	of

```

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",75,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
13,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:38:09\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Commissioning\"
),
end;

request(JRM_051,
    START_TIME,2016-238T12:10:59.000,
    TITLE,"jm0002_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",80,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
573,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	40	of

```

),
command(5,
  SCHEDULED_TIME,\00:40:39\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Commissioning\"
),
end;

request(JRM_052,
  START_TIME,2016-238T12:53:29.000,
  TITLE, "jm0002_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2470)
),
command(2,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",75,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
13,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:38:09\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Commissioning\"
),
end;

request(JRM_053,
  START_TIME,2016-238T14:50:59.000,
  TITLE, "jm0002_JRM_Science",

```


		JIR-IAPS-SY-001-2017		
		Issue	1.0	05/04/17
JUNO/JIRAM		Page	41	of 51

```

    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",80,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
573,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:40:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Commissioning\"
),
end;

request(JRM_054,
    START_TIME,2016-238T15:33:29.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",75,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
13,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	42	of

```

command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:38:09\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Commissioning\"
),
end;

request(JRM_055,
    START_TIME,2016-238T16:50:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
452,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"HS, mapping\"
),
end;

```

		JIR-IAPS-SY-001-2017		
		Issue	1.0	05/04/17
JUNO/JIRAM		Page	43	of 51

```

request(JRM_056,
    START_TIME,2016-238T18:30:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
465,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"HS, mapping\"
),
end;

request(JRM_057,
    START_TIME,2016-238T20:10:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
480,"NO_SUMMED_SCI")
),
command(3,

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	44	of

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"HS, mapping\"
    ),
end;

request(JRM_058,
    START_TIME,2016-238T21:50:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
495,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"HS, mapping\"

```

		JIR-IAPS-SY-001-2017		
		Issue	1.0	05/04/17
JUNO/JIRAM		Page	45	of 51

```

),
end;

request(JRM_059,
  START_TIME,2016-238T23:30:59.000,
  TITLE, "jm0002_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
  command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
  ),
  command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
512,"NO_SUMMED_SCI")
  ),
  command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
  ),
  command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
  ),
  command(5,
    SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
  ),
  command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
  ),
  note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"HS, mapping\"
  ),
end;

request(JRM_060,
  START_TIME,2016-239T01:10:59.000,
  TITLE, "jm0002_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
  command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
  ),
  command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-

```

		JIR-IAPS-SY-001-2017		
		Issue	1.0	05/04/17
JUNO/JIRAM		Page	46	of 51

```

530, "NO_SUMMED_SCI" )
    ),
    command(3,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME, \01:20:39\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \ "HS, mapping" \
    ),
end;

request(JRM_061,
    START_TIME, 2016-239T02:50:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(74, 2470)
    ),
    command(2,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1", 160, 1, 30, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE
", 0, 6, 60, 5000, "LOW", "LOW", "POINT", -57343, 60, 5000, "LOW", "LOW", "SPIN", -
550, "NO_SUMMED_SCI" )
    ),
    command(3,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME, \01:20:39\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	47	of

```

        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\"HS, mapping\"
        ),
end;

request(JRM_062,
    START_TIME,2016-239T04:14:29.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",153,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,6,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
569,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\01:17:09\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\"HS, mapping\"
        ),
end;

request(JRM_063,
    START_TIME,2016-239T05:34:28.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
JUNO/JIRAM			Page	48	of 51

```
JRM_SCI_PAR("SCI_I2_S1",153,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,6,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-589,"NO_SUMMED_SCI")
```

```
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\01:17:09\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"HS, mapping\"
),
```

```
end;
```

```
request(JRM_064,
  START_TIME,2016-239T06:54:28.000,
  TITLE, "jm0002_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2470)
),
command(2,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
```

```
JRM_SCI_PAR("SCI_I2_S1",153,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,6,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-610,"NO_SUMMED_SCI")
```

```
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\01:17:09\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
```


			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
	JUNO/JIRAM		Page	49	of

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"HS, mapping\"
    ),
end;

request(JRM_065,
    START_TIME,2016-239T08:14:28.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I2_S1",153,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
        "0,6,60,5000","LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
        633,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\01:17:09\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"HS, mapping\"
    ),
end;

request(JRM_066,
    START_TIME,2016-239T09:34:28.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)

```

			JIR-IAPS-SY-001-2017		
			Issue	1.0	05/04/17
JUNO/JIRAM			Page	50	of 51

```

),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",153,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,6,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
652,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:17:09\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"HS, mapping\"
),
end;

request(JRM_067,
    START_TIME,2016-239T10:54:28.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",113,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,10,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
680,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:57:09\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-001-2017	
			Issue	1.0
JUNO/JIRAM			Page	51 of 51

```

        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"HS, mapping\"
    ),
end;

request(JRM_068,
    START_TIME,2016-239T11:51:57.000,
    TITLE, "jm0002_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

$$EOF

```