



# Juno JIRAM

## Report JM0041

**JIR-IAPS-SY-004-2017**  
Version 2.0

November 17, 2017

*Prepared by:*

***R. Noschese, A. Cicchetti, R. Sordini, S. Brooks,  
H. N. Becker, M.L. Moriconi, A. Mura***

*Approved by:  
A. Adriani*

		JIR-IAPS-SY-004-2017		
Issue	2.0	17/11/17		
JUNO/JIRAM	Page	2	of	86

## Table of Contents

<b>1 INTRODUCTION.....</b>	<b>3</b>
<b>2 REFERENCES.....</b>	<b>3</b>
<b>3 ACTIVITY DESCRIPTION.....</b>	<b>3</b>
<b>4 RADIATIONS ACQUISITION.....</b>	<b>5</b>
<b>5 SCIENTIFIC GOALS .....</b>	<b>6</b>
<b>6 DATA COLLECTION OVERWIER .....</b>	<b>8</b>
A.1 Commanding file (sasf) .....	12

## List of Figures

<b>Figure 1: Poles Coverage - Imager filter L.</b> .....	<b>4</b>
<b>Figure 2. Poles Coverage - Imager filter M.</b> .....	<b>4</b>
<b>Figure 3. Atmospheric Mapping: Hot Spots -- Imager filter M.</b> .....	<b>5</b>

## List of Tables

<b>Table 1: Scientific Goals.....</b>	<b>8</b>
<b>Table 2: Data Overwier.....</b>	<b>11</b>

		JIR-IAPS-SY-004-2017		
Issue	2.0	17/11/17		
JUNO/JIRAM	Page	3	of	86

## 1 INTRODUCTION

This document describes the activities that JIRAM performed during the activity period JM0041 (PJ4), with particular attention to the comparison with the expected data and that achieved, keeping track of the configuration of the instrument with commanding file (SASF).


## 2 REFERENCES

- a) Adriani A., G. Filacchione, T. Di Iorio, D. Turrini, R. Noschese, A. Cicchetti, D. Grassi, A. Mura, G. Sindoni, M. Zambelli, G. Piccioni, M.T. Capria, F. Tosi, R. Orosei, B.M. Dinelli, M.L. Moriconi, E. Roncon, J.I. Lunine, H.N. Becker, A. Bini, A. Barbis, L. Calamai, C. Pasqui, S. Nencioni, M. Rossi, M. Lastri, R. Formaro, A. Olivieri (2014), JIRAM, the Jovian Infrared Auroral Mapper. Space Sci. Rev., DOI 10.1007/s11214-014-0094-y.
- b) Adriani A., M.L. Moriconi, A. Mura, F. Tosi, G. Sindoni, R. Noschese, A. Cicchetti, G. Filacchione (2016), Juno's Earth flyby: the Jovian infrared Auroral Mapper preliminary results, Astrophys Space Sci, DOI 10.1007/s10509-016-2842-9.
- c) Becker, H.N., J.W. Alexander, A. Adriani, A. Mura, A. Cicchetti, R. Noschese, J.L. Jørgensen, T. Denver, J. Sushkova, A. Jørgensen, M. Benn, J.E.P. Connerney, S.J. Bolton, the Selex Galileo Juno SRU Team, J. Allison, S. Watts, V. Adumitroaie, E.A. Manor-Chapman, I.J. Daubar, C. Lee, S. Kang, W.J. McAlpine, T. Di Iorio, C. Pasqui, A. Barbis, P. Lawton, L. Spalsbury, S. Loftin, and J. Sun (2017), The Juno Radiation Monitoring (RM) Investigation, Space Sci Rev, doi: 10.1007/s11214-017-0345-9.


## 3 ACTIVITY DESCRIPTION

During PJ4 pass, JIRAM could have a full coverage of both Northern and Southern Poles of Jupiter. Coverage is given in the figures 1 & 2. Image filter L is for auroras and imager filter M is for mapping the atmospheric thermal emission. Note that in correspondance of each imager's pictures there is a spectral observation. Details about imager/spectrometer coupling and, more in general, about the instrument and its performances can be found in Adriani et al., 2014 and 2016. Low-latitude observations during the approaching to the planet have been focused to the Hot Spots in the Northern Equatorial Band (figure 3). Spectral observations relateted to the science blocks from JRM\_022 to JRM\_033 (see the file "JIR\_STATUS\_EDR\_2016213T082335\_V02.CSV") are sequences of limb observations (not reported in the figures) that visualize the Jupiter North Pole and the auroral oval from different viewing angles during the nighttime period. Finally, observations of the Jupiter's moon Io have also been done (not reported in the figures).

		<b>JIR-IAPS-SY-004-2017</b>		
Issue	2.0	17/11/17		
JUNO/JIRAM	Page	4	of	86




**Figure 1: Poles Coverage - Imager filter L.**



**Figure 2. Poles Coverage - Imager filter M.**

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
<b>JUNO/JIRAM</b>		Page	<b>5</b>	of <b>86</b>



**Figure 3. Atmospheric Mapping: Hot Spots – Imager filter M.**

## 4 RADIATIONS ACQUISITION

Radiation sequences were collected in locations of low particle flux in order to update the mapping of good pixel locations to be used in subsequent radiation data processing. Radiation sequences targeting observations of the radiation environment were performed in the middle magnetosphere, the inner synchrotron emission region, and polar regions.

A Cherenkov experiment was performed using the 6th and 7th radiation sequences. This involved the use of a different despinning mirror position for the 2nd image in each of these sequences. Enhanced signal has been observed in one corner of the L band when the IMG is bombarded by radiation and the Cherenkov experiment had the objective to see if a change in mirror position could affect the observed gradient signal. No obvious difference in the observed gradient signal in the L band portion of the imager was observed, suggesting that any influence of Cherenkov was not a strong effect for these two mirror positions. The cause of this gradient signal during radiation bombardment is currently unknown. The ongoing procedure for JIRAM radiation sequence data processing involves the removal of this region of the L band from the processed pixels.

		JIR-IAPS-SY-004-2017		
		Issue	2.0	17/11/17
	JUNO/JIRAM	Page	6	of 86

## 5 SCIENTIFIC GOALS

Below is a table that describes for each science block in the commanding file the relative operative mode and the scientific objectives. The files relating to the varius science blocks are shown in the file “JIR\_STATUS\_EDR\_2016213T082335\_V01.CSV” in the INDEX directory.

JRM (sasf)	Operative Mode	Goals
JRM_004	CAL_I1_S1	CALIBRATION
JRM_005	SCI_I0_S1	ATMOSPHERA MAPPING
JRM_006	SCI_I2_S1	ATMOSPHERA MAPPING
From JRM_008 to JRM_012	SCI_I1_S0	RADIATION
JRM_013	SCI_I0_S1	ATMOSPHERA MAPPING
JRM_014	SCI_I2_S1	ATMOSPHERA MAPPING
JRM_015	SCI_I0_S1	ATMOSPHERA MAPPING
JRM_016	SCI_I2_S1	ATMOSPHERA MAPPING
JRM_017	SCI_I0_S1	ATMOSPHERA MAPPING
JRM_018	SCI_I2_S1	ATMOSPHERA MAPPING
JRM_019	SCI_I0_S1	ATMOSPHERA MAPPING
JRM_020	SCI_I2_S1	ATMOSPHERA MAPPING
JRM_021	SCI_I0_S1	ATMOSPHERA MAPPING
JRM_022	SCI_I3_S1	NORTH AURORA
JRM_023	SCI_I3_S1	NORTH AURORA
JRM_024	SCI_I3_S1	NORTH AURORA
JRM_025	SCI_I3_S1	NORTH AURORA
JRM_026	SCI_I3_S1	NORTH AURORA
JRM_027	SCI_I3_S1	NORTH AURORA
JRM_028	SCI_I3_S1	NORTH AURORA
JRM_029	SCI_I3_S1	NORTH AURORA
JRM_030	SCI_I3_S1	NORTH AURORA
JRM_031	SCI_I3_S1	NORTH AURORA
JRM_032	SCI_I3_S1	NORTH AURORA

		JIR-IAPS-SY-004-2017		
		Issue	2.0	17/11/17
JUNO/JIRAM		Page	7	of 86

JRM_033	SCI_I3_S1	NORTH AURORA
JRM_034	SCI_I2_S1	NORTH AURORA
JRM_035	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_036	SCI_I3_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_037	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_038	SCI_I3_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_039	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_040	SCI_I3_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_041	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_042	SCI_I3_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_043	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_044	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_045	SCI_I3_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_046	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_047	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_048	SCI_I0_S1	NORTH LIMB
JRM_049	SCI_I0_S1	NORTH LIMB
From JRM_050 to JRM_051	SCI_I1_S0	RADIATION
JRM_052	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_053	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_054	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_055	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_056	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_057	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_058	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_059	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_060	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_061	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
JRM_062	SCI_I2_S1	ATMOSPHERA MAPPING & NORTH POLE
From JRM_064 To JRM_076	SCI_I1_S0	RADIATION
JRM_077	SCI_I2_S1	ATMOSPHERA MAPPING
JRM_079	SCI_I1_S0	RADIATION
JRM_080	SCI_I2_S1	ATMOSPHERA MAPPING
JRM_082	SCI_I1_S0	RADIATION
JRM_083	SCI_I2_S1	ATMOSPHERA MAPPING
JRM_084	SCI_I2_S1	ATMOSPHERA MAPPING
JRM_085	SCI_I2_S1	ATMOSPHERA MAPPING
JRM_086	SCI_I2_S1	ATMOSPHERA MAPPING
JRM_087	SCI_I3_S1	SOUTH AURORA
JRM_088	SCI_I3_S1	SOUTH AURORA
JRM_089	SCI_I3_S1	SOUTH AURORA

		JIR-IAPS-SY-004-2017		
		Issue	2.0	17/11/17
	JUNO/JIRAM	Page	8	of 86

JRM_090	SCI_I3_S1	SOUTH AURORA
JRM_091	SCI_I3_S1	SOUTH AURORA
JRM_092	SCI_I3_S1	SOUTH AURORA
JRM_093	SCI_I3_S1	SOUTH AURORA
JRM_094	SCI_I3_S1	SOUTH AURORA
JRM_095	SCI_I3_S1	SOUTH AURORA
JRM_096	SCI_I3_S1	SOUTH AURORA
JRM_100	SCI_I0_S1	IO
JRM_101	SCI_I0_S1	IO
JRM_102	SCI_I0_S1	IO
JRM_103	SCI_I0_S1	IO
JRM_104	SCI_I0_S1	IO
JRM_105	SCI_I0_S1	IO
JRM_106	SCI_I0_S1	CALIBRATION

*Table 1: Scientific Goals*

## 6 DATA COLLECTION OVERWIER

Below a table that give an overwier of the data collected during the activity period JM0041. The table describes, for each science block in the commanding file, the programmed operative modes, with the real collected data.

		JIR-IAPS-SY-004-2017		
		Issue	2.0	17/11/17
JUNO/JIRAM		Page	9	of 86

JRM (sasf)	Operative Mode	Observations	Packets Retrieved	Packets Exepected	Missing Observations SPE	Missing Observations IMG
JRM_004	CAL_I1_S1	6 IMG, 6 SPE	72	72	0	0
JRM_005	SCI_I0_S1	30 SPE	180	180	0	N/A
JRM_006	SCI_I2_S1	30 IMG, 30 SPE	270	270	0	0
From JRM_008 to JRM_012	SCI_I1_S0	15 IMG	90	90	N/A	0
JRM_013	SCI_I0_S1	30 SPE	180	180	0	N/A
JRM_014	SCI_I2_S1	30 IMG, 30 SPE	270	270	0	0
JRM_015	SCI_I0_S1	30 SPE	180	180	0	N/A
JRM_016	SCI_I2_S1	30 IMG, 30 SPE	270	270	0	0
JRM_017	SCI_I0_S1	30 SPE	180	180	0	N/A
JRM_018	SCI_I2_S1	30 IMG, 30 SPE	270	270	0	0
JRM_019	SCI_I0_S1	30 SPE	180	180	0	N/A
JRM_020	SCI_I2_S1	30 IMG, 30 SPE	270	270	0	0
JRM_021	SCI_I0_S1	30 SPE	180	180	0	N/A
JRM_022	SCI_I3_S1	30 IMG, 30 SPE	270	270	0	0
JRM_023	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_024	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_025	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_026	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_027	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_028	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_029	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_030	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_031	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_032	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_033	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_034	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_035	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_036	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_037	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0

		JIR-IAPS-SY-004-2017		
		Issue	2.0	17/11/17
<b>JUNO/JIRAM</b>		Page	<b>10</b>	of <b>86</b>

JRM_038	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_039	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_040	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_041	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_042	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_043	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_044	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_045	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_046	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_047	SCI_I2_S1	9 IMG, 9 SPE	57	81	7-8-9	8-9
JRM_048	SCI_I0_S1	26 SPE	147	156	0	N/A
JRM_049	SCI_I0_S1	24 SPE	136	144	0	N/A
JRM_050, JRM_051	SCI_I1_S0	6 IMG	36	36	N/A	0
JRM_052	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_053	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_054	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_055	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_056	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_057	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_058	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_059	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_060	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_061	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
JRM_062	SCI_I2_S1	13 IMG, 13 SPE	117	117	0	0
from JRM_064 to JRM_076	SCI_I1_S0	39 IMG	234	234	N/A	0
JRM_077	SCI_I2_S1	20 IMG, 20 SPE	180	180	0	0
JRM_080	SCI_I2_S1	20 IMG, 20 SPE	180	180	0	0

		JIR-IAPS-SY-004-2017		
		Issue	2.0	17/11/17
JUNO/JIRAM		Page	11	of 86

JRM_079, JRM_082	SCI_I1_S0	6 IMG	36	36	N/A	0
JRM_083	SCI_I2_S1	20 IMG, 20 SPE	180	180	0	0
JRM_084	SCI_I2_S1	20 IMG, 20 SPE	180	180	0	0
JRM_085	SCI_I2_S1	20 IMG, 20 SPE	180	180	0	0
JRM_086	SCI_I2_S1	20 IMG, 20 SPE	180	180	0	0
JRM_087	SCI_I3_S1	30 IMG, 30 SPE	270	270	0	0
JRM_088	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_089	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_090	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_091	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_092	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_093	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_094	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_095	SCI_I3_S1	26 IMG, 26 SPE	234	234	0	0
JRM_096	SCI_I3_S1	20 IMG, 20 SPE	180	180	0	0
JRM_100	SCI_I0_S1	17 SPE	102	102	0	N/A
JRM_101	SCI_I0_S1	17 SPE	102	102	0	N/A
JRM_102	SCI_I0_S1	17 SPE	102	102	0	N/A
JRM_103	SCI_I0_S1	17 SPE	102	102	0	N/A
JRM_104	SCI_I0_S1	17 SPE	102	102	0	N/A
JRM_105	SCI_I0_S1	17 SPE	102	102	0	N/A
JRM_106	SCI_I0_S1	17 SPE	102	102	0	N/A
JRM_107	CAL_I1_S1	6 IMG, 6 SPE	72	72	0	0

Table 2: Data Overview

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	12	of 86

## A.1 Commanding file (sasf)

```
*****
*****
CCSD3ZF000010000001NJPL3KS0L015$$MARK$$;
MISSION_NAME = JUNO;
SPACECRAFT_NAME = JUNO;
DATA_SET_ID = SPACECRAFT_ACTIVITY_SEQUENCE_JRM;
FILE_NAME = jm0041_JRMa.sasf;
APPLICABLE_START_TIME = 2017-032T12:00:00.000;
APPLICABLE_STOP_TIME = 2017-068T00:00:00.000;
PRODUCT_CREATION_TIME = 2017-004T19:48:48.000;
PRODUCER_ID = JRMTEAM;
SEQ_ID = jm0041_JRMa;
HOST_ID = JRM_CMD_041_041_V09.jrm;
CCSD3RE00000$$MARK$$NJPL3IF0M0130000001;
$$JNO    SPACECRAFT ACTIVITY SEQUENCE FILE
*****
```

```
*PROJECT JNO
*SPACECRAFT 61
*OPERATOR JRMTEAM
*FILE_CMPLT TRUE
*DATE   Wed Jan 04 19:48:48 2017
*BEGIN   2017-032T12:00:00.000
*CUTOFF  2017-068T00:00:00.000
*TITLE   jm0041_JRMa
*EPOCHS_DEF
*jm0041_JRM, 2017-032T12:00:00.000
*EPOCHS_END
*Input files used:
*File Type Last modified      File name
*PACKETS_NUMBER 13173
*****
```

```
$$EOH
$$EOD
request(JRM_Sequence_Management_Request,
         START_TIME,2017-032T12:00:00.000,
         TITLE,"JRM_MAINTENANCE",
         REQUESTOR,"JRMTEAM",
         PROCESSOR,"VC2",
         KEY,"No_Key")
```

```
activity(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        SEQTRAN_directive
        (VML_START,2001-001T00:00:00.000,2030-
        001T00:00:00.000,"ABSLTE","jm0041_JRM","jm0041_JRM.abs","d:/seq")
        ),
        command(2,
        SCHEDULED_TIME,\00:00:30\,FROM_PREVIOUS_START,
        FILE_DELETE("d:/seq/jm0041_JRM.abs")
        ),
        command(3,
        SCHEDULED_TIME,\035T11:59:58\,FROM_REQUEST_START,
        VM_LOAD(20,"d:/seq/jm0042_JRM.abs")
        ),
        end;
```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>13</b>	of <b>86</b>

```

request(JRM_001,
        START_TIME,2017-032T13:29:03.000,
        TITLE, "jm0041_JRM_Heater_Op",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            THRM_SET_PT_SEL("JIRAM_OH","OPERATIONAL")
        ),
    command(2,
            SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
            THRM_SET_PT_SEL("JIRAM_DECON","OPERATIONAL")
        ),
    command(3,
            SCHEDULED_TIME,\03:10:00\,FROM_PREVIOUS_START,
            THRM_SET_PT_SEL("JIRAM_ELECT_BP","OPERATIONAL")
        ),
    note(1,
          SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
          TEXT,\\"NaN"\\
        ),
end;

request(JRM_002,
        START_TIME,2017-032T18:50:03.000,
        TITLE, "jm0041_JRM-POWER_ON",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    spawn(1,
          SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
          REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
        ),
    note(1,
          SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
          TEXT,\\"NaN"\\
        ),
end;

request(JRM_003,
        START_TIME,2017-032T18:52:46.000,
        TITLE, "jm0041_JRM_StandBy",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            JRM_SET_PAR(111,10)
        ),
    command(2,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_STANDBY("ON","ON","ON")
        ),
    command(3,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_SET_PAR(111,10)
        ),
    note(1,
          SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
          TEXT,\\"NaN"\\
        ),
end;

JRM_SCI_PAR("SCI_I2_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW","POI
NT",-57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
    ),
    note(1,
          SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
          TEXT,\\"NaN"\\
        ),
end;

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>14</b>	of <b>86</b>

end;

```

request(JRM_004,
        START_TIME,2017-032T18:52:58.000,
        TITLE,"jm0041_JRM_Calibration",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
    ),
command(5,
        SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"NaN"\"
    ),
end;

request(JRM_005,
        START_TIME,2017-032T18:57:29.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I0_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,4,0,5000,"LOW","LOW","POINT
",-57343,0,5000,"LOW","LOW","SPIN",-297,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    )
);

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>15</b>	of <b>86</b>

```

        JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atm. Map\""
),
end;

request(JRM_006,
    START_TIME,2017-032T19:47:29.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,4,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-317,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\""\"
),
end;

request(JRM_007,
    START_TIME,2017-032T20:04:14.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\""\"
),

```

		JIR-IAPS-SY-004-2017		
		Issue	2.0	17/11/17
		Page	16	of 86

end;

```

request(JRM_008,
        START_TIME,2017-032T20:04:33.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	17	of 86

```

        JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_04_001_DarkFrame_2017-032T20:04:33.000\""
),
end;

request(JRM_009,
    START_TIME,2017-032T20:09:33.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	18	of 86

```

command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Radiation_Sequence_04_002_DarkFrame_2017-032T20:09:33.000"
),
end;

request(JRM_010,
    START_TIME,2017-032T20:14:33.000,
    TITLE,"jm0041_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	19	of 86

```

command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SET_PAR(92,8174)
),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Radiation_Sequence_04_003_DarkFrame_2017-032T20:14:33.000\""
),
end;

request(JRM_011,
        START_TIME,2017-032T20:19:33.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),

```



```

000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Radiation_Sequence_04_004_DarkFrame_2017-032T20:19:33.000"\n
),
end;

request(JRM_012,
    START_TIME,2017-032T20:24:33.000,
    TITLE,"jm0041_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>21</b>	of <b>86</b>

```

        JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Radiation_Sequence_04_005_DarkFrame_2017-032T20:24:33.000"\n
),
end;

request(JRM_013,
    START_TIME,2017-032T20:37:29.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>22</b>	of <b>86</b>

```

JRM_SCI_PAR("SCI_I0_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,4,0,5000,"LOW","LOW","POINT
",-57343,0,5000,"LOW","LOW","SPIN",-339,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Atm. Map"
),
end;

request(JRM_014,
    START_TIME,2017-032T21:27:29.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,4,60,5000,"LOW","LOW","POINT
",-57343,60,5000,"LOW","LOW","SPIN",-365,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"\"")
),
end;

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	23	of 86

```

request(JRM_015,
        START_TIME,2017-032T22:17:29.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I0_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,4,0,5000,"LOW","LOW","POINT
",-57343,0,5000,"LOW","LOW","SPIN",-393,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\Atm. Map\
    ),
end;

request(JRM_016,
        START_TIME,2017-032T23:07:29.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I2_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,4,60,5000,"LOW","LOW","POINT
",-57343,60,5000,"LOW","LOW","SPIN",-425,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	24	of 86

```

        JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"\"
),
end;

request(JRM_017,
    START_TIME,2017-032T23:57:29.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I0_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,4,0,5000,"LOW","LOW","POINT
",-57343,0,5000,"LOW","LOW","SPIN",-462,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atm. Map\"\"
),
end;

request(JRM_018,
    START_TIME,2017-033T00:47:28.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I2_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,5,60,5000,"LOW","LOW","POIN
")
);

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>25</b>	of <b>86</b>

```

T",-57343,60,5000,"LOW","LOW","SPIN",-505,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\""\"
),
end;

request(JRM_019,
    START_TIME,2017-033T01:37:28.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM SCI PAR("SCI_I0_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,5,0,5000,"LOW","LOW","POINT
",-57343,0,5000,"LOW","LOW","SPIN",-555,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atm. Map\""
),
end;

request(JRM_020,
    START_TIME,2017-033T02:27:28.000,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>26</b>	of <b>86</b>

```

TITLE, "jm0041_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2470)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,5,60,5000,"LOW","LOW","POINT
T",-57343,60,5000,"LOW","LOW","SPIN",-610,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\\"\"
),
end;

request(JRM_021,
START_TIME,2017-033T03:17:28.000,
TITLE, "jm0041_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I0_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,5,0,5000,"LOW","LOW","POINT
T",-57343,0,5000,"LOW","LOW","SPIN",-681,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	27	of 86

```

command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\Atm. Map\
),
end;

request(JRM_022,
        START_TIME,2017-033T03:57:28.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,44,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",423,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\North Aurora\
),
end;

request(JRM_023,
        START_TIME,2017-033T04:14:28.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,52,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",431,"NO_SUMMED_SCI")
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	28	of 86

```

command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"North Aurora"
    ),
end;

request(JRM_024,
        START_TIME,2017-033T04:29:28.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,53,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",440,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"North Aurora"
    ),
end;

request(JRM_025,
        START_TIME,2017-033T04:44:28.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	29	of 86

```

PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,55,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",450,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,"North Aurora"
),
end;

request(JRM_026,
START_TIME,2017-033T04:59:28.000,
TITLE, "jm0041_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,56,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",459,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>30</b>	of <b>86</b>

```

        JRM_STOP_HS_REC()
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\"North Aurora\"\
),
end;

request(JRM_027,
      START_TIME,2017-033T05:14:28.000,
      TITLE, "jm0041_JRM_Science",
      REQUESTOR, "JRMTEAM",
      PROCESSOR, "VC2",
      KEY, "No_Key")
command(1,
      SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
      JRM_SET_PAR(74,0)
),
command(2,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,57,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",470,"NO_SUMMED SCI")
),
command(3,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      JRM_START_HS_REC()
),
command(4,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      JRM_SCIENCE()
),
command(5,
      SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
      JRM_ERROR_LOG()
),
command(6,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      JRM_STOP_HS_REC()
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\"North Aurora\"\
),
end;

request(JRM_028,
      START_TIME,2017-033T05:29:28.000,
      TITLE, "jm0041_JRM_Science",
      REQUESTOR, "JRMTEAM",
      PROCESSOR, "VC2",
      KEY, "No_Key")
command(1,
      SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
      JRM_SET_PAR(74,0)
),
command(2,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,58,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",481,"NO_SUMMED SCI")
),
command(3,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	31	of 86

```

        JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"North Aurora"
),
end;

request(JRM_029,
    START_TIME,2017-033T05:44:28.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,59,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",493,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"North Aurora"
),
end;

request(JRM_030,
    START_TIME,2017-033T05:59:28.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>32</b>	of <b>86</b>

```

command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,60,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",506,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"North Aurora"\

),
end;

request(JRM_031,
        START_TIME,2017-033T06:14:28.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,63,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",519,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
)

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>33</b>	of <b>86</b>

```

note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"North Aurora"\

),
end;

request(JRM_032,
    START_TIME,2017-033T06:29:28.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,64,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",533,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"North Aurora"\

),
end;

request(JRM_033,
    START_TIME,2017-033T06:44:28.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,66,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",548,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>34</b>	of <b>86</b>

```

command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"North Aurora"
    ),
),
end;

request(JRM_034,
        START_TIME,2017-033T08:08:57.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,109,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",1601,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"Atm. Map North Pole"
    ),
),
end;

request(JRM_035,
        START_TIME,2017-033T08:16:57.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	35	of 86

```

        JRM_SET_PAR(74,2470)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,109,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1637,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"Atm. Map North Pole"
),
end;

request(JRM_036,
        START_TIME,2017-033T08:24:57.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,109,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1674,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>36</b>	of <b>86</b>

```

        TEXT,"Atm. Map North Pole"
    ),
end;

request(JRM_037,
        START_TIME,2017-033T08:32:57.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            JRM_SET_PAR(74,2470)
        ),
    command(2,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,110,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1713,"NO_SUMMED_SCI")
        ),
    command(3,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,"Atm. Map North Pole"
        ),
end;

request(JRM_038,
        START_TIME,2017-033T08:40:57.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            JRM_SET_PAR(74,2470)
        ),
    command(2,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,110,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1754,"NO_SUMMED_SCI")
        ),
    command(3,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	37	of 86

```

        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"Atm. Map North Pole"
    ),
end;

request(JRM_039,
    START_TIME,2017-033T08:48:57.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,110,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1796,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Atm. Map North Pole"
),
end;

request(JRM_040,
    START_TIME,2017-033T08:56:57.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	38	of 86

```

command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,110,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1840,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Atm. Map North Pole"
),
end;

request(JRM_041,
        START_TIME,2017-033T09:04:57.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2470)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,110,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1885,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Atm. Map North Pole"
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	39	of 86

end;

```

request(JRM_042,
        START_TIME,2017-033T09:12:57.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,110,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1933,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"Atm. Map North Pole"
),
end;

request(JRM_043,
        START_TIME,2017-033T09:20:57.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,110,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1982,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	40	of 86

```

command(5,
        SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\Atm. Map North Pole\
),
end;

request(JRM_044,
        START_TIME,2017-033T09:28:57.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,110,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",2034,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\Atm. Map North Pole\
),
end;

request(JRM_045,
        START_TIME,2017-033T09:36:57.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	41	of 86

```

JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,110,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",2087,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atm. Map North Pole"\),
),
end;

request(JRM_046,
    START_TIME,2017-033T09:44:56.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,111,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",2143,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atm. Map North Pole"\),
),
end;

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	42	of 86

```

request(JRM_047,
        START_TIME,2017-033T09:52:56.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I2_S1",9,1,9,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,165,60,5000,"LOW","LOW","POIN
T",-57343,60,5000,"LOW","LOW","SPIN",2200,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:05:19\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\Atm. Map North Pole\
    ),
),
end;

request(JRM_048,
        START_TIME,2017-033T09:59:26.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I0_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,20,0,5000,"LOW","LOW","POIN
T",-57343,0,5000,"LOW","LOW","SPIN",3622,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	43	of 86

```

        JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Limb North\""
),
end;

request(JRM_049,
    START_TIME,2017-033T10:14:26.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I0_S1",24,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,21,0,5000,"LOW","LOW","POINT",-57343,0,5000,"LOW","LOW","SPIN",3868,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:13:06\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Limb North\""
),
end;

request(JRM_050,
    START_TIME,2017-033T10:28:15.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
)
);

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	44	of 86

```

000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(8,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(9,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(10,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,153)
),
command(11,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(12,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(13,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(14,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(15,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(16,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	45	of 86

```

TEXT,\"Radiation_Sequence_04_006_ApproachCherenkovExp_2017-033T10:28:15.000\"
),
end;

request(JRM_051,
        START_TIME,2017-033T10:33:15.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(8,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(9,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(10,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,153)
),
command(11,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(12,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	46	of 86

```

command(13,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(14,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(15,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(16,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Radiation_Sequence_04_007_CherenkovExp_2017-033T10:33:15.000"
),
end;

request(JRM_052,
    START_TIME,2017-033T10:58:55.000,
    TITLE,"jm0041_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,216,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",2076,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Atm. Map North Pole"
),
end;

request(JRM_053,
    START_TIME,2017-033T11:06:55.000,
    TITLE,"jm0041_JRM_Science",
    REQUESTOR,"JRMTEAM",

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	47	of 86

```

PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2470)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,215,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",2121,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,"Atm. Map North Pole"
),
end;

request(JRM_054,
START_TIME,2017-033T11:14:55.000,
TITLE, "jm0041_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2470)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,213,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",2148,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>48</b>	of <b>86</b>

```

        JRM_STOP_HS_REC()
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\\"Atm. Map North Pole"\'
),
end;

request(JRM_055,
      START_TIME,2017-033T11:22:55.000,
      TITLE, "jm0041_JRM_Science",
      REQUESTOR, "JRMTEAM",
      PROCESSOR, "VC2",
      KEY, "No_Key")
command(1,
      SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
      JRM_SET_PAR(74,2470)
),
command(2,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,216,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",2100,"NO_SUMMED_SCI")
),
command(3,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      JRM_START_HS_REC()
),
command(4,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      JRM_SCIENCE()
),
command(5,
      SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
      JRM_ERROR_LOG()
),
command(6,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      JRM_STOP_HS_REC()
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\\"Atm. Map North Pole"\'
),
end;

request(JRM_056,
      START_TIME,2017-033T11:30:55.000,
      TITLE, "jm0041_JRM_Science",
      REQUESTOR, "JRMTEAM",
      PROCESSOR, "VC2",
      KEY, "No_Key")
command(1,
      SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
      JRM_SET_PAR(74,2470)
),
command(2,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,223,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1972,"NO_SUMMED_SCI")
),
command(3,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	49	of 86

```

        JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Atm. Map North Pole"
),
end;

request(JRM_057,
    START_TIME,2017-033T11:38:54.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,234,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1707,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Atm. Map North Pole"
),
end;

request(JRM_058,
    START_TIME,2017-033T11:46:54.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>50</b>	of <b>86</b>

```

command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,253,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",1198,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\Atm. Map North Pole\
),
end;

request(JRM_059,
        START_TIME,2017-033T11:54:54.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,289,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",247,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>51</b>	of <b>86</b>

```

note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\Atm. Map North Pole\"
),
end;

request(JRM_060,
    START_TIME,2017-033T12:02:53.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,354,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",-1532,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:07:24\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\Atm. Map North Pole\
),
end;

request(JRM_061,
    START_TIME,2017-033T12:10:53.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,471,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",-4789,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>52</b>	of <b>86</b>

```

command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:07:24\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atm. Map North Pole\""
    ),
end;

request(JRM_062,
        START_TIME,2017-033T12:18:52.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I2_S1",13,1,13,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,634,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",-11464,"NO_SUMMED SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:07:25\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atm. Map North Pole\""
    ),
end;

request(JRM_063,
        START_TIME,2017-033T12:29:24.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	53	of 86

```

        JRM_SET_PAR(74,0)
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\"""
),
end;

request(JRM_064,
        START_TIME,2017-033T12:32:15.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>54</b>	of <b>86</b>

```

command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_04_008_InboundtoSync_2017-033T12:32:15.000\""
),
end;

request(JRM_065,
    START_TIME,2017-033T12:36:30.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
)

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	55	of 86

```

000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_04_009_ProfileSyncRegion_2017-033T12:36:30.000\""
),
end;

request(JRM_066,
    START_TIME,2017-033T12:40:44.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>56</b>	of <b>86</b>

```

        JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Radiation_Sequence_04_010_NHiLatLobe_2017-033T12:40:44.000"\\
),
end;

request(JRM_067,
    START_TIME,2017-033T12:45:17.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",29309,5
000,5000,"LOW","LOW","POINT",-56707,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>57</b>	of <b>86</b>

```

        JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S0",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",29309,5
000,5000,"LOW","LOW","POINT",-56707,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S0",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",29309,5
000,5000,"LOW","LOW","POINT",-56707,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_04_011_ProfileSyncRegion_2017-033T12:45:17.000\"\
),
end;

request(JRM_068,
    START_TIME,2017-033T12:49:32.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S0",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",32495,5
000,5000,"LOW","LOW","POINT",-53521,"NO_SUMMED_SCI")
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>58</b>	of <b>86</b>

```

command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",32495,5
000,5000,"LOW","LOW","POINT",-53521,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",32495,5
000,5000,"LOW","LOW","POINT",-53521,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Radiation_Sequence_04_012_DarkFrame_2017-033T12:49:32.000"\'
),
end;

request(JRM_069,
    START_TIME,2017-033T12:58:41.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>59</b>	of <b>86</b>

```

command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,8174)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",30010,5
000,5000,"LOW","LOW","SPIN",-56006,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",30010,5
000,5000,"LOW","LOW","SPIN",-56006,"NO_SUMMED_SCI")
    ),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",30010,5
000,5000,"LOW","LOW","SPIN",-56006,"NO_SUMMED_SCI")
    ),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	60	of 86

```

        TEXT,\\"Radiation_Sequence_04_013_MagEq_2017-033T12:58:41.000"\n
    ),
end;

request(JRM_070,
        START_TIME,2017-033T13:03:48.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>61</b>	of <b>86</b>

```

command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Radiation_Sequence_04_014_DarkFrame_2017-033T13:03:48.000\"\
),
end;

request(JRM_071,
    START_TIME,2017-033T13:09:02.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",24849,5
000,5000,"LOW","LOW","POINT",53521,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",24849,5
000,5000,"LOW","LOW","POINT",53521,"NO_SUMMED SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",24849,5
000,5000,"LOW","LOW","POINT",53521,"NO_SUMMED SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	62	of 86

```

        JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Radiation_Sequence_04_015_EdgeSHiLatLobe_2017-033T13:09:02.000"
),
end;

request(JRM_072,
    START_TIME,2017-033T13:14:10.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>63</b>	of <b>86</b>

```

        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_04_016_ProfileSyncRegion_2017-033T13:14:10.000\"\\
    ),
end;

request(JRM_073,
    START_TIME,2017-033T13:19:15.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_04_016_ProfileSyncRegion_2017-033T13:14:10.000\"\\
),
end;

request(JRM_074,
    START_TIME,2017-033T13:19:15.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_04_016_ProfileSyncRegion_2017-033T13:14:10.000\"\\
),
end;

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>64</b>	of <b>86</b>

```

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Radiation_Sequence_04_017_ProfileSyncRegion_2017-033T13:19:15.000\""
),
end;

request(JRM_074,
    START_TIME,2017-033T13:24:15.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	65	of 86

```

command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"Radiation_Sequence_04_018_ProfileSyncRegion_2017-033T13:24:15.000"\n
),
end;

request(JRM_075,
    START_TIME,2017-033T13:28:30.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>66</b>	of <b>86</b>

```

command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SET_PAR(92,8174)
),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Radiation_Sequence_04_019_OutboundfromSync_2017-033T13:28:30.000\"\
),
end;

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>67</b>	of <b>86</b>

```

request(JRM_076,
        START_TIME,2017-033T13:41:03.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    )
);

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>68</b>	of <b>86</b>

```

command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_04_020_HighMagLat_2017-033T13:41:03.000\"\
),
end;

request(JRM_077,
    START_TIME,2017-033T13:57:38.000,
    TITLE,"jm0041_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",20,1,20,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,208,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",-1364,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:11:01\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\""\"
),
end;

request(JRM_078,
    START_TIME,2017-033T14:10:23.000,
    TITLE,"jm0041_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\""\"
),
end;

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>69</b>	of <b>86</b>

```

request(JRM_079,
        START_TIME,2017-033T14:11:52.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    )
);

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>70</b>	of <b>86</b>

```

command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_04_021_HiMagLat_2017-033T14:11:52.000\""
),
end;

request(JRM_080,
    START_TIME,2017-033T14:17:37.000,
    TITLE,"jm0041_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",20,1,20,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,159,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",-2753,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:11:00\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\""\"
),
end;

request(JRM_081,
    START_TIME,2017-033T14:29:01.000,
    TITLE,"jm0041_JRM_Science",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\""\"
),
end;

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>71</b>	of <b>86</b>

```

request(JRM_082,
        START_TIME,2017-033T14:29:10.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5
000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    )
);

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>72</b>	of <b>86</b>

```

command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\"Radiation_Sequence_04_022_HiMagLat_2017-033T14:29:10.000\"\
),
end;

request(JRM_083,
        START_TIME,2017-033T14:37:37.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",20,1,20,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,143,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",-3250,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:11:00\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\""\"
),
end;

request(JRM_084,
        START_TIME,2017-033T14:57:36.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",20,1,20,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,137,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",-3421,"NO_SUMMED_SCI")
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	73	of 86

```

command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:11:00\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"""
    ),
end;

request(JRM_085,
        START_TIME,2017-033T15:17:36.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I2_S1",20,1,20,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,134,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-3459,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:11:00\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"""
    ),
end;

request(JRM_086,
        START_TIME,2017-033T15:37:36.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	74	of 86

```

PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2470)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",20,1,20,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,135,60,5000,"LOW","LOW","PO
INT",-57343,60,5000,"LOW","LOW","SPIN",-3453,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:11:00\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\\""
),
end;

request(JRM_087,
START_TIME,2017-033T15:57:35.000,
TITLE, "jm0041_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",30,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,104,5000,5000,"LOW","LOW","PO
INT",-57343,5000,5000,"LOW","LOW","SPIN",-4520,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:16:10\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>75</b>	of <b>86</b>

```

        JRM_STOP_HS_REC()
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,"South Aurora"
),
end;

request(JRM_088,
        START_TIME,2017-033T16:14:35.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(74,0)
),
JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,114,5000,5000,"LOW","LOW",
POINT",-57343,5000,5000,"LOW","LOW","SPIN",-4256,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,"South Aurora"
),
end;

request(JRM_089,
        START_TIME,2017-033T16:29:35.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(74,0)
),
JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,108,5000,5000,"LOW","LOW",
POINT",-57343,5000,5000,"LOW","LOW","SPIN",-4027,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(74,0)
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	76	of 86

```

        JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"South Aurora"
),
end;

request(JRM_090,
    START_TIME,2017-033T16:44:35.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I3_S1",26,1,26,"IDIS SDIS","HSSL","ENABLE","DARK","DISABLE",0,102,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-3825,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"South Aurora"
),
end;

request(JRM_091,
    START_TIME,2017-033T16:59:35.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>77</b>	of <b>86</b>

```

command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,97,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",-3646,"NO_SUMMED SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"South Aurora"
    ),
),
end;

request(JRM_092,
        START_TIME,2017-033T17:14:35.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,93,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",-3486,"NO_SUMMED SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
)

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>78</b>	of <b>86</b>

```

note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"South Aurora"\

),
end;

request(JRM_093,
    START_TIME,2017-033T17:29:35.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,89,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",-3342,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"South Aurora"\

),
end;

request(JRM_094,
    START_TIME,2017-033T17:44:35.000,
    TITLE, "jm0041_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,86,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",-3212,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>79</b>	of <b>86</b>

```

command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"South Aurora"
    ),
end;

request(JRM_095,
        START_TIME,2017-033T17:59:35.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,82,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-3094,"NO_SUMMED SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"South Aurora"
    ),
end;

request(JRM_096,
        START_TIME,2017-033T18:14:34.000,
        TITLE, "jm0041_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>80</b>	of <b>86</b>

```

        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I3_S1",26,1,26,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,80,5000,5000,"LOW","LOW","P
OINT",-57343,5000,5000,"LOW","LOW","SPIN",-2986,"NO_SUMMED SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:14:06\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"South Aurora"\n
    ),
end;

request(JRM_097,
    START_TIME,2017-033T18:29:00.000,
    TITLE, "jm0041_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"NaN"\n
),
end;

request(JRM_098,
    START_TIME,2017-034T02:44:08.000,
    TITLE, "jm0041_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"NaN"\n
),
end;

request(JRM_099,
    START_TIME,2017-034T02:46:51.000,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	<b>2.0</b>	17/11/17
		Page	<b>81</b>	of <b>86</b>

```

TITLE, "jm0041_JRM_StandBy",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(111,10)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STANDBY("ON","ON","ON")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW","POINT",-57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"NaN"\"
),
end;

request(JRM_100,
START_TIME,2017-034T02:47:03.000,
TITLE, "jm0041_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I0_S1",17,1,17,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,18,0,5000,"LOW","LOW","POINT",-57343,0,5000,"LOW","LOW","SPIN",3625,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Io"\"
),
end;

request(JRM_101,
START_TIME,2017-034T02:57:03.000,

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	82	of 86

```

TITLE, "jm0041_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I0_S1",17,1,17,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,18,0,5000,"LOW","LOW","POIN
T",-57343,0,5000,"LOW","LOW","SPIN",3728,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,"Io"
),
end;

request(JRM_102,
START_TIME,2017-034T03:07:03.000,
TITLE, "jm0041_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I0_S1",17,1,17,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,18,0,5000,"LOW","LOW","POIN
T",-57343,0,5000,"LOW","LOW","SPIN",3827,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	83	of 86

```

command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Io\"\
),
end;

request(JRM_103,
        START_TIME,2017-034T03:17:03.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I0_S1",17,1,17,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,18,0,5000,"LOW","LOW","POINT",-57343,0,5000,"LOW","LOW","SPIN",3922,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Io\"\
),
end;

request(JRM_104,
        START_TIME,2017-034T03:27:03.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I0_S1",17,1,17,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,17,0,5000,"LOW","LOW","POINT",-57343,0,5000,"LOW","LOW","SPIN",4014,"NO_SUMMED_SCI")
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	84	of 86

```

command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"Io"
    ),
),
end;

request(JRM_105,
        START_TIME,2017-034T03:37:03.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I0_S1",17,1,17,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,17,0,5000,"LOW","LOW","POIN
T",-57343,0,5000,"LOW","LOW","SPIN",4101,"NO_SUMMED SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,"Io"
    ),
),
end;

request(JRM_106,
        START_TIME,2017-034T03:47:03.000,
        TITLE,"jm0041_JRM_Science",
        REQUESTOR,"JRMTEAM",

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	85	of 86

```

PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I0_S1",17,1,17,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,17,0,5000,"LOW","LOW","POINT",-57343,0,5000,"LOW","LOW","SPIN",4184,"NO_SUMMED SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,"Io"\

),
end;

request(JRM_107,
START_TIME,2017-034T03:56:50.000,
TITLE, "jm0041_JRM_Calibration",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),

```

		<b>JIR-IAPS-SY-004-2017</b>		
		Issue	2.0	17/11/17
		Page	86	of 86

```

note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"NaN"\

),
end;

request(JRM_108,
    START_TIME,2017-034T04:01:10.000,
    TITLE, "jm0041_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,"NaN"\

),
end;

request(JRM_109,
    START_TIME,2017-034T04:01:26.000,
    TITLE, "jm0041_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH","NON_OPERATIONAL")
),
command(2,
    SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","NON_OPERATIONAL")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BP","NON_OPERATIONAL")
),
end;

$$EOF

```