



# Juno JIRAM

## Report JM0410

**JIR-IAPS-SY-007-2022**  
Version 1.0

October 20, 2022

*Prepared by:*  
**R. Noschese, H. N. Becker, R. Sordini, A. Cicchetti**

*Approved by:*  
**A. Mura**

		JIR-IAPS-SY-007-2022		
Issue	1.0	20/10/2022		
JUNO/JIRAM	Page	2	of	84

## Table of Contents

1	INTRODUCTION.....	3
2	REFERENCES.....	3
3	ACTIVITY DESCRIPTION.....	3
4	RADIATION SEQUENCES.....	6
5	SCIENTIFIC GOALS .....	6
6	DATA COLLECTION OVERVIEW.....	9
	A.1 Commanding file (SASF) .....	13

## List of Figures

<i>Figure 1:</i> Simulation with JSPT (JIRAM Software Planning Tool), coverage of the South Pole with filter M. The overlapping yellow strips represent the predicted FOVs.....	4
<i>Figure 2:</i> Simulation with JSPT. Coverage of the South Pole with filter L, the magenta line represents the theoretical position of the main auroral oval. ....	5
<i>Figure 3:</i> Atmospheric Mapping: Hot Spots - <i>Imager filter M.</i> .....	6

## List of Tables

<i>Table 1: Scientific Goals .....</i>	9
<i>Table 2: Data Overview.....</i>	12

		JIR-IAPS-SY-007-2022		
Issue	1.0	20/10/2022		
JUNO/JIRAM	Page	3	of	84

## 1 INTRODUCTION

This document describes the activities that JIRAM performed during the activity period JM0410 (PJ041), with particular attention to the comparison between the expected and returned data, keeping track of the instrument configuration with the commanding file (SASF).

## 2 REFERENCES

Adriani A., M.L. Moriconi, A. Mura, F. Tosi, G. Sindoni, R. Noschese, A. Cicchetti, G. Filacchione (2016), Juno's Earth flyby: the Jovian infrared Auroral Mapper preliminary results, 2016. *Astrophys. Space Sci.* <https://doi.org/10.1007/s10509-016-2842-9>

Adriani, A., Filacchione, G., Di Iorio, T., Turrini, D., Noschese, R., Cicchetti, A., Grassi, D., Mura, A., Sindoni, G., Zambelli, M., Piccioni, G., Capria, M. T., Tosi, F., Orosei, R., Dinelli, B. M., Moriconi, M. L., Roncon, E., Lunine, J. I., Becker, H. N., Bini, A., Barbis, A., Calamai, L., Pasqui, C., Nencioni, S., Rossi, M., Lastri, M., Formaro, R., Olivieri, A., 2017. JIRAM, the Jovian Infrared Auroral Mapper.

*Space Sci. Rev.* 213, 1–4, pp 393–446. <https://doi.org/10.1007/s11214-014-0094-y>.

Becker, H.N., Alexander, J.W., Adriani, A., Mura, A., Cicchetti, A., Noschese, R., Jørgensen, J.L., Denver, T., Sushkova, J., Jørgensen, A., Benn, M., Connerney, J.E.P., Bolton, S.J., the Selex Galileo Juno SRU Team, Allison, J., Watts, S., Adumitroaie, V., Manor-Chapman, E.A., Daubar, I.J., Lee, C., Kang, S., McAlpine, W.J., Di Iorio, T., Pasqui, C., Barbis, A., Lawton, P., Spalsbury, L., Loftin, S., Sun, J., 2017. The Juno Radiation Monitoring (RM) Investigation.

*Space Sci. Rev.* 213, 1-4, pp 507–545. <https://doi.org/10.1007/s11214-017-0345-9>.

R. Noschese, A. Cicchetti, R. Sordini, M. Cartacci, S. Brooks, M. Lastri, A. Adriani, A. Mura, G. Filacchione, H. Becker, A. Bini, C. Pasqui, A. Migliorini, M.L. Moriconi, D. Grassi, F. Altieri, B.M. Di nelli, G. Piccioni, F. Tosi, D. Turrini, G. Sindoni, A. Olivieri, C. Plainaki. Juno/JIRAM: planning and commanding activities.

*Adv. Space Res.* (2019) <https://doi.org/10.1016/j.asr.2019.09.052>


## 3 ACTIVITY DESCRIPTION

During the PJ041 pass, JIRAM performed Satellites' Footprints observations, on both North and South Pole; observations of the cyclones of the South and North Pole (see fig. 1 and fig. 2) and of the planet's limbs. In addition JIRAM achieved observations of the Jupiter's moon IO (not reported in the figures). Note that there is a spectral observation corresponding to each observation taken with the imager. Details about imager/spectrometer coupling and more in general about the instrument and its performance can be found in Adriani et al. (2017), Noschese et al. (2019).

Due to an uncertainty in the actual pointing of the JIRAM frame (which is affected by the position of the despinning mirror at the time of the observation), the JIRAM team found that the precision of the reconstruction of the geometry of both IMG and SPE pixels should be revised by a value of no


		<b>JIR-IAPS-SY-007-2022</b>		
Issue	1.0	20/10/2022		
JUNO/JIRAM	Page	4	of	84

less than 0.1 degrees. We want to underline that this issue was only discovered during JM0131, when we started to do systematic limb observations near perijove (PJ) and we could compare the calculated position of the planet's limb, using the reconstructed kernels, with respect to its actual position in the image we collected with our instrument.




**Figure 1:** Simulation with JSPT (JIRAM Software Planning Tool), coverage of the South Pole with filter M. The overlapping yellow strips represent the predicted FOVs.

		JIR-IAPS-SY-007-2022		
Issue	1.0	20/10/2022		
JUNO/JIRAM		Page	5	of 84



**Figure 2:** Simulation with JSPT. Coverage of the South Pole with filter L, the magenta line represents the theoretical position of the main auroral oval.

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>6</b>	of <b>84</b>



*Figure 3: Atmospheric Mapping: Hot Spots - Imager filter M.*

## 4 RADIATION SEQUENCES

Radiation sequences were collected in locations of low particle flux in order to update the mapping of good pixel locations to be used in subsequent radiation data processing. Radiation sequences targeting observations of the radiation environment were performed in the middle magnetosphere and the inner magnetosphere.

## 5 SCIENTIFIC GOALS

Below is a table that describes for each science block in the commanding file the relative operational mode and the scientific objectives. The files relating to the various science blocks are shown in the file “JIR\_STATUS\_EDR\_2022098T223936\_V01” in the INDEX directory.

		JIR-IAPS-SY-007-2022		
		Issue	1.0	20/10/2022
		Page	7	of 84

JRM (sasf)	Operational Mode	Goals
JRM_004	CAL_I1_S1	INTERNAL CALIBRATION
JRM_005	SCI_I1_S1	RADIATION
JRM_006	SCI_I1_S1	RADIATION
JRM_007	SCI_I1_S1	RADIATION
JRM_008	SCI_I1_S1	RADIATION
JRM_009	SCI_I1_S1	RADIATION
JRM_010	SCI_I1_S1	RADIATION
JRM_011	SCI_I1_S1	RADIATION
JRM_012	SCI_I1_S1	RADIATION
JRM_013	SCI_I1_S1	RADIATION
JRM_014	CAL_I1_S1	INTERNAL CALIBRATION
JRM_018	CAL_I1_S1	INTERNAL CALIBRATION
JRM_019	SCI_I1_S1	RADIATION
JRM_020	SCI_I1_S1	RADIATION+CALIBRATION
JRM_021	SCI_I1_S1	RADIATION+CALIBRATION
JRM_022	SCI_I1_S1	RADIATION+CALIBRATION
JRM_023	SCI_I1_S1	RADIATION
JRM_024	SCI_I1_S1	RADIATION+CALIBRATION
JRM_025	SCI_I1_S1	RADIATION
JRM_026	SCI_I1_S1	RADIATION
JRM_027	SCI_I1_S1	RADIATION+CALIBRATION
JRM_028	SCI_I1_S1	RADIATION+CALIBRATION
JRM_029	SCI_I1_S1	RADIATION
JRM_030	SCI_I1_S1	RADIATION+CALIBRATION
JRM_031	SCI_I1_S1	RADIATION+CALIBRATION
JRM_032	SCI_I1_S1	RADIATION
JRM_033	SCI_I1_S1	RADIATION
JRM_034	SCI_I1_S1	RADIATION+CALIBRATION
JRM_035	SCI_I1_S1	RADIATION
JRM_036	SCI_I1_S1	RADIATION+CALIBRATION
JRM_037	SCI_I1_S1	RADIATION+CALIBRATION
JRM_038	SCI_I1_S1	IO
JRM_040	SCI_I1_S1	RADIATION+CALIBRATION
JRM_041	SCI_I1_S1	RADIATION+CALIBRATION
JRM_042	SCI_I1_S1	ATMOSPHERE
JRM_043	SCI_I1_S1	ATMOSPHERE
JRM_044	SCI_I1_S1	ATMOSPHERE
JRM_045	SCI_I1_S1	ATMOSPHERE
JRM_046	SCI_I1_S1	ATMOSPHERE
JRM_047	SCI_I1_S1	ATMOSPHERE
JRM_048	SCI_I1_S1	ATMOSPHERE
JRM_049	SCI_I1_S1	ATMOSPHERE
JRM_050	SCI_I1_S1	ATMOSPHERE
JRM_051	SCI_I1_S1	ATMOSPHERE
JRM_052	SCI_I1_S1	ATMOSPHERE
JRM_053	SCI_I1_S1	ATMOSPHERE
JRM_054	SCI_I1_S1	ATMOSPHERE
JRM_055	SCI_I1_S1	ATMOSPHERE
JRM_056	SCI_I1_S1	ATMOSPHERE

		JIR-IAPS-SY-007-2022		
		Issue	1.0	20/10/2022
		JUNO/JIRAM	Page	8 of 84

JRM_057	SCI_I1_S1	ATMOSPHERE
JRM_058	SCI_I1_S1	ATMOSPHERE
JRM_059	SCI_I1_S1	ATMOSPHERE
JRM_060	SCI_I1_S1	ATMOSPHERE
JRM_061	SCI_I1_S1	ATMOSPHERE
JRM_062	SCI_I1_S1	ATMOSPHERE
JRM_063	SCI_I3_S1	IO FOOTPRINT NORTH
JRM_064	SCI_I3_S1	IO FOOTPRINT NORTH
JRM_065	SCI_I3_S1	IO FOOTPRINT NORTH
JRM_066	SCI_I3_S1	NORTH AURORA
JRM_067	SCI_I3_S1	NORTH AURORA
JRM_068	SCI_I3_S1	NORTH AURORA
JRM_069	SCI_I3_S1	NORTH AURORA
JRM_070	SCI_I3_S1	NORTH AURORA
JRM_071	SCI_I1_S1	NORTH POLE
JRM_072	SCI_I1_S1	NORTH POLE
JRM_073	SCI_I1_S1	NORTH POLE
JRM_074	SCI_I1_S1	NORTH POLE
JRM_075	SCI_I1_S1	NORTH POLE
JRM_076	SCI_I1_S1	NORTH POLE
JRM_077	SCI_I1_S1	LIMB UP
JRM_078	SCI_I1_S1	LIMB UP
JRM_079	SCI_I1_S1	LIMB UP
JRM_080	SCI_I1_S1	LIMB UP
JRM_082	SCI_I1_S1	RADIATION
JRM_083	SCI_I1_S1	LIMB DOWN
JRM_084	SCI_I1_S1	LIMB DOWN
JRM_085	SCI_I1_S1	SOUTH AURORA
JRM_086	SCI_I1_S1	SOUTH AURORA
JRM_087	SCI_I1_S1	SOUTH AURORA
JRM_088	SCI_I1_S1	SOUTH POLE
JRM_089	SCI_I3_S1	SOUTH AURORA
JRM_090	SCI_I1_S1	SOUTH POLE
JRM_091	SCI_I3_S1	SOUTH AURORA
JRM_092	SCI_I1_S1	SOUTH POLE
JRM_093	SCI_I3_S1	IO FOOTPRINT SOUTH
JRM_094	SCI_I3_S1	IO FOOTPRINT SOUTH
JRM_095	SCI_I1_S1	ATMOSPHERE
JRM_096	SCI_I1_S1	ATMOSPHERE
JRM_097	SCI_I1_S1	ATMOSPHERE
JRM_098	SCI_I1_S1	ATMOSPHERE
JRM_099	SCI_I1_S1	ATMOSPHERE
JRM_100	SCI_I1_S1	ATMOSPHERE
JRM_101	SCI_I1_S1	ATMOSPHERE
JRM_102	SCI_I1_S1	ATMOSPHERE
JRM_103	SCI_I1_S1	ATMOSPHERE
JRM_104	SCI_I1_S1	ATMOSPHERE

		JIR-IAPS-SY-007-2022		
		Issue	1.0	20/10/2022
JUNO/JIRAM		Page	9	of 84

JRM_105	SCI_I1_S1	ATMOSPHERE
JRM_106	SCI_I1_S1	ATMOSPHERE
JRM_107	SCI_I1_S1	ATMOSPHERE
JRM_108	SCI_I1_S1	ATMOSPHERE
JRM_109	CAL_I1_S1	INTERNAL CALIBRATION

Table 1: Scientific Goals

## 6 DATA COLLECTION OVERVIEW

Below is a table that gives an overview of the data collected during the activity period JM0410. The table describes, for each science block in the commanding file, the programmed operational modes and the data actually collected.

JRM (sasf)	Operational Mode	Observations	Packets Retrieved	Packets Expected	Missing Observations SPE	Missing Observations IMG
JRM_004	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_005	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_006	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_007	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_008	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_009	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_010	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_011	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_012	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_013	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_014	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_018	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_019	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_020	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_021	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_022	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_023	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_024	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0

		JIR-IAPS-SY-007-2022		
		Issue	1.0	20/10/2022
JUNO/JIRAM			Page	10 of 84

JRM_025	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_026	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_027	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_028	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_029	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_030	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_031	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_032	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_033	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_034	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_035	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_036	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_037	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_038	SCI_I1_S1	30 IMG 30 SPE	360	360	0	0
JRM_040	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_041	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0
JRM_042	SCI_I1_S1	8 IMG 8 SPE	96	96	0	0
JRM_043	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_044	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_045	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_046	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_047	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_048	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_049	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_050	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_051	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_052	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_053	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0

		JIR-IAPS-SY-007-2022		
		Issue	1.0	20/10/2022
		Page	11	of 84

JRM_054	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_055	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_056	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_057	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_058	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_059	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_060	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_061	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_062	SCI_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_063	SCI_I3_S1	12 IMG 12 SPE	108	108	0	0
JRM_064	SCI_I3_S1	10 IMG 10 SPE	90	90	0	0
JRM_065	SCI_I3_S1	10 IMG 10 SPE	90	90	0	0
JRM_066	SCI_I3_S1	10 IMG 10 SPE	90	90	0	0
JRM_067	SCI_I3_S1	8 IMG 8 SPE	72	72	0	0
JRM_068	SCI_I3_S1	8 IMG 8 SPE	72	72	0	0
JRM_069	SCI_I3_S1	8 IMG 8 SPE	72	72	0	0
JRM_070	SCI_I3_S1	8 IMG 8 SPE	72	72	0	0
JRM_071	SCI_I1_S1	9 IMG 9 SPE	108	108	0	0
JRM_072	SCI_I1_S1	7 IMG 7 SPE	84	84	0	0
JRM_073	SCI_I1_S1	7 IMG 7 SPE	84	84	0	0
JRM_074	SCI_I1_S1	7 IMG 7 SPE	84	84	0	0
JRM_075	SCI_I1_S1	7 IMG 7 SPE	84	84	0	0
JRM_076	SCI_I1_S1	7 IMG 7 SPE	84	84	0	0
JRM_077	SCI_I1_S1	12 IMG 12 SPE	144	144	0	0
JRM_078	SCI_I1_S1	10 IMG 10 SPE	120	120	0	0
JRM_079	SCI_I1_S1	10 IMG 10 SPE	120	120	0	0
JRM_080	SCI_I1_S1	8 IMG 8 SPE	96	96	0	0
JRM_082	SCI_I1_S1	3 IMG 3 SPE	36	36	0	0

		JIR-IAPS-SY-007-2022		
		Issue	1.0	20/10/2022
JUNO/JIRAM			Page	12 of 84

JRM_083	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_084	SCI_I1_S1	16 IMG 16 SPE	192	192	0	0
JRM_085	SCI_I3_S1	10 IMG 10 SPE	90	90	0	0
JRM_086	SCI_I3_S1	8 IMG 8 SPE	72	72	0	0
JRM_087	SCI_I3_S1	18 IMG 18 SPE	162	162	0	0
JRM_088	SCI_I1_S1	8 IMG 8 SPE	96	96	0	0
JRM_089	SCI_I3_S1	18 IMG 18 SPE	162	162	0	0
JRM_090	SCI_I1_S1	8 IMG 8 SPE	96	96	0	0
JRM_091	SCI_I3_S1	18 IMG 18 SPE	162	162	0	0
JRM_092	SCI_I1_S1	8 IMG 8 SPE	96	96	0	0
JRM_093	SCI_I3_S1	18 IMG 18 SPE	162	162	0	0
JRM_094	SCI_I3_S1	18 IMG 18 SPE	162	162	0	0
JRM_095	SCI_I1_S1	20 IMG 20 SPE	240	240	0	0
JRM_096	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_097	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_098	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_099	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_100	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_101	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_102	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_103	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_104	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_105	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_106	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_107	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_108	SCI_I1_S1	18 IMG 18 SPE	216	216	0	0
JRM_109	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0

Table 2: Data Overview

		<b>JIR-IAPS-SY-007-2022</b>
Issue	<b>1.0</b>	<b>20/10/2022</b>
Page	<b>13</b>	of <b>84</b>

## A.1 Commanding file (SASF)

```
*****
*****
CCSD3ZF000010000001NJPL3KS0L015$$MARK$$;
MISSION_NAME = JUNO;
SPACECRAFT_NAME = JUNO;
DATA_SET_ID = SPACECRAFT_ACTIVITY_SEQUENCE_JRM;
FILE_NAME = jm0410_JRMa.sASF;
APPLICABLE_START_TIME = 2022-098T15:00:00.000;
APPLICABLE_STOP_TIME = 2022-142T02:00:00.000;
PRODUCT_CREATION_TIME = 2022-068T10:27:27.000;
PRODUCER_ID = JRMTEAM;
SEQ_ID = jm0410_JRMa;
HOST_ID = JRM_CMD_410_410_V02.jrm;
CCSD3RE00000$$MARK$$NJPL3IF0M0130000001;
$$JNO      SPACECRAFT ACTIVITY SEQUENCE FILE
*****
*PROJECT    JNO
*SPACECRAFT 61
*OPERATOR   JRMTEAM
*FILE_CMPLT TRUE
*DATE       Wed Mar 09 10:27:27 2022
*BEGIN      2022-098T15:00:00.000
*CUTOFF     2022-142T02:00:00.000
*TITLE      jm0410_JRMa
*EPOCHS_DEF
*jm0410_JRM,      2022-098T15:00:00.000
*EPOCHS_END
*Input files used:
*File Type Last modified           File name
*PACKETS_NUMBER 9680
*****
$EOH
$EOD
request(JRM_Sequence_Management_Request,
         START_TIME, 2022-098T15:00:00.000,
         TITLE, "JRM_MAINTENANCE",
         REQUESTOR, "JRMTEAM",
         PROCESSOR, "VC2",
         KEY, "No_Key")

activity(1,
         SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
         SEQTRAN_directive
         (VML_START, 2001-001T00:00:00.000, 2030-
001T00:00:00.000, "ABSLTE", "jm0410_JRM", "jm0410_JRM.abs", "d:/seq")
         ),
command(2,
         SCHEDULED_TIME, \00:00:30\, FROM_PREVIOUS_START,
         FILE_DELETE ("d:/seq/jm0410_JRM.abs")
         ),
command(3,
         SCHEDULED_TIME, \043T10:59:58\, FROM_REQUEST_START,
         VM_LOAD(20, "d:/seq/jm0420_JRM.abs")
         ),
end;

request(JRM_001,
         START_TIME, 2022-098T17:15:04.000,
         TITLE, "jm0410_JRM_Heater_Op",
         REQUESTOR, "JRMTEAM",
         PROCESSOR, "VC2",
         KEY, "No_Key")
command(1,
         SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>14</b>	of <b>84</b>

```

        THRM_SET_PT_SEL("JIRAM_OH","OPERATIONAL")
),
command(2,
        SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_DECON","OPERATIONAL")
),
command(3,
        SCHEDULED_TIME,\03:10:00\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_ELECT_BP","OPERATIONAL")
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"NaN"\\
),
end;

request(JRM_002,
        START_TIME,2022-098T22:36:04.000,
        TITLE, "jm0410_JRM-POWER_ON",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
spawn(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"NaN"\\
),
end;

request(JRM_003,
        START_TIME,2022-098T22:38:47.000,
        TITLE, "jm0410_JRM_StandBy",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(111,2)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STANDBY("ON","ON","ON")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW",
",POINT",-57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"NaN"\\
),
end;

request(JRM_004,
        START_TIME,2022-098T22:38:59.000,
        TITLE, "jm0410_JRM_Calibration",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(3,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>15</b>	of 84

```

SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\\"NaN"\)
),
end;

request(JRM_005,
START_TIME,2022-098T22:48:15.000,
TITLE, "jm0410_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(92,153)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(5,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(6,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(8,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(9,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>16</b>	of <b>84</b>

```

command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT, \\"Radiation_Sequence_41_001_GoodPxMap_2022-098T22:48:15.000\"\\
),
end;

request(JRM_006,
        START_TIME,2022-098T22:53:15.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
    ),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
    ),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    )
);

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	17	of 84

```

        ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Radiation_Sequence_41_002_GoodPxMap_2022-098T22:53:15.000\"
    ),
end;

request(JRM_007,
    START_TIME,2022-098T22:58:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>18</b>	of <b>84</b>

```

        JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Radiation_Sequence_41_003_GoodPxMap_2022-098T22:58:15.000\"\\
),
end;

request(JRM_008,
    START_TIME,2022-098T23:03:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>19</b>	of <b>84</b>

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \"Radiation_Sequence_41_004_GoodPxMap_2022-098T23:03:15.000\""
    ),
end;

request(JRM_009,
    START_TIME,2022-098T23:08:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>20</b>	of <b>84</b>

```

        command(10,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_SET_PAR(92,8174)
        ),
        command(14,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT, \\"Radiation_Sequence_41_005_GoodPxMap_2022-098T23:08:15.000\"\\
        ),
    end;

request(JRM_010,
    START_TIME,2022-098T23:13:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>21</b>	of <b>84</b>

```

        ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \\"Radiation_Sequence_41_006_GoodPxMap_2022-098T23:13:15.000\"\\
    ),
end;

request(JRM_011,
    START_TIME,2022-098T23:18:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>22</b>	of <b>84</b>

```

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT, \\"Radiation_Sequence_41_007_GoodPxMap_2022-098T23:18:15.000\"\
),
end;

request(JRM_012,
    START_TIME,2022-098T23:23:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>23</b>	of <b>84</b>

SCHEDULED\_TIME,\00:01:12\,FROM\_PREVIOUS\_START,

```

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(11,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(12,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(13,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SET_PAR(92,8174)
),
command(14,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT, "Radiation_Sequence_41_008_GoodPxMap_2022-098T23:23:15.000"
),
end;

request(JRM_013,
START_TIME,2022-098T23:28:15.000,
TITLE, "jm0410_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(92,153)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(5,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(6,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(8,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>24</b>	of <b>84</b>

```

command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Radiation_Sequence_41_009_GoodPxMap_2022-098T23:28:15.000\"\\
),
end;

request(JRM_014,
        START_TIME,2022-098T23:32:29.000,
        TITLE, "jm0410_JRM_Calibration",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
        SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"NaN\"\\
),
end;

request(JRM_015,
        START_TIME,2022-098T23:36:49.000,
        TITLE, "jm0410_JRM-POWER_OFF",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>25</b>	of <b>84</b>

```

        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \"NaN"\\
),
end;

request(JRM_016,
        START_TIME, 2022-099T05:51:00.000,
        TITLE, "jm0410_JRM-POWER_ON",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
spawn(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        REQ_ENGINE_ID, 21, RT_on_board_block(jiram_pwr_on)
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \"NaN"\\
),
end;

request(JRM_017,
        START_TIME, 2022-099T05:53:43.000,
        TITLE, "jm0410_JRM_StandBy",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(111,10)
),
command(2,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_STANDBY("ON","ON","ON")
),
command(3,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW",
        ", "POINT", -57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \"NaN"\\
),
end;

request(JRM_018,
        START_TIME, 2022-099T05:53:55.000,
        TITLE, "jm0410_JRM_Calibration",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(3,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \"NaN"\\
),
end;

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>26</b>	of <b>84</b>

```

        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
    ),
    command(5,
        SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"NaN"\)
    ),
end;

request(JRM_019,
    START_TIME,2022-099T05:58:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	27	of 84

```

        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \\"Radiation_Sequence_41_010_Approach_2022-099T05:58:15.000"\'
    ),
    end;

request(JRM_020,
    START_TIME,2022-099T06:08:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>28</b>	of <b>84</b>

```

command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"RAD+CAL"
),
end;

request(JRM_021,
    START_TIME,2022-099T06:18:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>29</b>	of <b>84</b>

```

        ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"RAD+CAL"\'
    ),
end;

request(JRM_022,
    START_TIME,2022-099T06:38:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
)
);

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	30	of 84

```

        JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"RAD+CAL\"\)
),
end;

request(JRM_023,
    START_TIME,2022-099T06:58:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
<b>JUNO/JIRAM</b>		Page	31	of 84

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Radiation_Sequence_41_011_NearEuropa_2022-099T06:58:15.000\"\\
),
end;

request(JRM_024,
        START_TIME,2022-099T07:18:15.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	32	of 84

```

command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"RAD+CAL\")
),
end;

request(JRM_025,
        START_TIME,2022-099T07:37:45.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
    ),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
    ),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    )
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	33	of 84

```

        ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Radiation_Sequence_41_012_NearEurMagEq_2022-099T07:37:45.000"\,
    ),
end;

request(JRM_026,
    START_TIME,2022-099T07:58:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	34	of 84

```

        JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT, \\"Radiation_Sequence_41_013_NearEuropa_2022-099T07:58:15.000\"\\
),
end;

request(JRM_027,
    START_TIME,2022-099T08:18:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>35</b>	of <b>84</b>

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"RAD+CAL"\\
    ),
end;

request(JRM_028,
    START_TIME,2022-099T08:38:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>36</b>	of <b>84</b>

```

        command(10,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_SET_PAR(92,8174)
        ),
        command(14,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\\"RAD+CAL"\'
        ),
    end;

request(JRM_029,
    START_TIME,2022-099T08:58:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	37	of 84

```

        ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \\"Radiation_Sequence_41_014_NearEuropa_2022-099T08:58:15.000\"\\
    ),
end;

request(JRM_030,
    START_TIME,2022-099T09:18:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>38</b>	of <b>84</b>

```

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"RAD+CAL"\'
),
end;

request(JRM_031,
    START_TIME,2022-099T09:38:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	39	of 84

SCHEDULED\_TIME,\00:01:12\,FROM\_PREVIOUS\_START,

```

JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(11,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(12,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(13,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SET_PAR(92,8174)
),
command(14,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT, \\"RAD+CAL\\"
),
end;

request(JRM_032,
START_TIME,2022-099T09:58:15.000,
TITLE, "jm0410_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(92,153)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(5,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(6,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(8,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>40</b>	of <b>84</b>

```

command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Radiation_Sequence_41_015_NearEuropa_2022-099T09:58:15.000"\'
),
end;

request(JRM_033,
        START_TIME,2022-099T10:21:25.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	41	of 84

```

        ),
        command(9,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
            , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
        ),
        command(10,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_SET_PAR(92, 8174)
        ),
        command(14,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \"Radiation_Sequence_41_016_NearEurMagEq_2022-099T10:21:25.000\")
    ),
    end;

request(JRM_034,
    START_TIME, 2022-099T10:38:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92, 153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
    , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
    , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>42</b>	of <b>84</b>

```

        JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"RAD+CAL"\)
),
end;

request(JRM_035,
    START_TIME,2022-099T10:58:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>43</b>	of <b>84</b>

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \\"Radiation_Sequence_41_017_NearEuropa_2022-099T10:58:15.000"\'
),
end;

request(JRM_036,
        START_TIME,2022-099T11:18:15.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>44</b>	of <b>84</b>

```

    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"RAD+CAL\"
    ),
end;

request(JRM_037,
    START_TIME,2022-099T11:38:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>45</b>	of <b>84</b>

```

        ),
    command(8,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED SCI")
    ),
    command(10,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92, 8174)
    ),
    command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"RAD+CAL"\)
    ),
end;

request(JRM_038,
    START_TIME, 2022-099T11:52:03.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74, 2475)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1", 30, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 137, 50, 5000, "LOW", "LOW
", "POINT", -57343, 50, 5000, "LOW", "LOW", "SPIN", 26483, "NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:15:57\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"Io"\)
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>46</b>	of <b>84</b>

end;

```

request(JRM_039,
        START_TIME,2022-099T12:08:12.000,
        TITLE, "jm0410_Technical_Block",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Imager Delay Set to Zero"\'
),
end;

request(JRM_040,
        START_TIME,2022-099T12:18:15.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>47</b>	of <b>84</b>

```

        ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"RAD+CAL"\'
    ),
end;

request(JRM_041,
    START_TIME,2022-099T12:38:15.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
)
);

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>48</b>	of <b>84</b>

```

        JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"RAD+CAL"\'
),
end;

request(JRM_042,
    START_TIME,2022-099T12:43:55.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,501,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1912,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:04:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"\'
),
end;

request(JRM_043,
    START_TIME,2022-099T12:49:00.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1911,"NO_SUMMED SCI")
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>49</b>	of <b>84</b>

```

        ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC())
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE())
),
command(5,
    SCHEDULED_TIME,\00:03:43\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG())
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC())
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere\")
),
end;

request(JRM_044,
    START_TIME,2022-099T12:53:04.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1911,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC())
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE())
),
command(5,
    SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG())
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC())
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere\")
),
end;

request(JRM_045,
    START_TIME,2022-099T12:57:08.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1911,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC())
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE())
),
command(5,
    SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG())
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC())
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere\")
),
end;

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	<b>20/10/2022</b>
		Page	<b>50</b>	of <b>84</b>

```

JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1910,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\Atmosphere\
),
end;

request(JRM_046,
    START_TIME,2022-099T13:01:12.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1909,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\Atmosphere\
),
end;

request(JRM_047,
    START_TIME,2022-099T13:05:16.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>51</b>	of <b>84</b>

```

        ),
        command(2,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM SCI PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
            ,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1908,"NO_SUMMED_SCI")
        ),
        command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
        command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\\"Atmosphere"\)
        ),
    end;

request(JRM_048,
        START_TIME,2022-099T13:09:20.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM SCI PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
        ,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1907,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Atmosphere"\)
    ),
end;

request(JRM_049,
        START_TIME,2022-099T13:13:24.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>52</b>	of <b>84</b>

```

command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1907,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\")
),
end;

request(JRM_050,
        START_TIME,2022-099T13:17:28.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1906,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\")
),
end;

request(JRM_051,
        START_TIME,2022-099T13:21:32.000,
        TITLE, "jm0410_JRM_Science",

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>53</b>	of <b>84</b>

```

REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1905,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT, \Atmosphere\"
),
end;

request(JRM_052,
    START_TIME,2022-099T13:25:36.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1903,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT, \Atmosphere\"
),
end;

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>54</b>	of <b>84</b>

```

request(JRM_053,
        START_TIME, 2022-099T13:29:40.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
            JRM_SET_PAR(74, 2465)
        ),
    command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1", 6, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 701, 75, 5000, "LOW", "LOW"
,"POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -1902, "NO_SUMMED SCI")
        ),
    command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME, \00:03:44\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \Atmosphere\
        ),
end;

request(JRM_054,
        START_TIME, 2022-099T13:33:45.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
            JRM_SET_PAR(74, 2465)
        ),
    command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1", 6, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 701, 75, 5000, "LOW", "LOW"
,"POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -1901, "NO_SUMMED SCI")
        ),
    command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME, \00:03:43\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \Atmosphere\
        )
);

```

		<b>JIR-IAPS-SY-007-2022</b>
	Issue <b>1.0</b>	20/10/2022
	Page <b>55</b>	of <b>84</b>

```

        ),
end;

request(JRM_055,
        START_TIME,2022-099T13:37:49.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1900,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:03:43\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \"Atmosphere\")
),
end;

request(JRM_056,
        START_TIME,2022-099T13:41:53.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1898,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:03:43\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>56</b>	of <b>84</b>

```

        note(1,
              SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
              TEXT, \\"Atmosphere"\

        ),
end;

request(JRM_057,
        START_TIME,2022-099T13:45:57.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
        ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1896,"NO_SUMMED SCI")
        ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
        ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
        ),
command(5,
        SCHEDULED_TIME,\00:03:43\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
        ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
        ),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT, \\"Atmosphere"\

        ),
end;

request(JRM_058,
        START_TIME,2022-099T13:50:01.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
        ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1895,"NO_SUMMED SCI")
        ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
        ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
        ),
command(5,
        SCHEDULED_TIME,\00:03:43\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
        ),
command(6,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	<b>20/10/2022</b>
		Page	<b>57</b>	of <b>84</b>

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\\"Atmosphere"\\
),
end;

request(JRM_059,
        START_TIME,2022-099T13:54:05.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1893,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:03:43\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\\"Atmosphere"\\
),
end;

request(JRM_060,
        START_TIME,2022-099T13:58:09.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1891,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>58</b>	of <b>84</b>

```

        JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"
),
end;

request(JRM_061,
    START_TIME,2022-099T14:02:13.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1888,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"
),
end;

request(JRM_062,
    START_TIME,2022-099T14:06:17.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,701,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-1886,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>59</b>	of <b>84</b>

```

        ),
    command(5,
        SCHEDULED_TIME,\00:03:44\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Atmosphere"\)
),
end;

request(JRM_063,
    START_TIME,2022-099T14:10:21.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I3_S1",12,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,58,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-3315,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:06:47\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Io FP North"\)
),
end;

request(JRM_064,
    START_TIME,2022-099T14:17:28.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I3_S1",10,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,71,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-2832,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>60</b>	of <b>84</b>

```

command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:05:46\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Io FP North"\'
    ),
end;

request(JRM_065,
        START_TIME,2022-099T14:23:35.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM SCI PAR("SCI_I3_S1",10,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,71,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-2826,"NO_SUMMED SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:05:45\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Io FP North"\'
    ),
end;

request(JRM_066,
        START_TIME,2022-099T14:29:41.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM SCI PAR("SCI_I3_S1",10,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,213,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-4574,"NO_SUMMED SCI")
    ),
command(3,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	61	of 84

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:05:46\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"North Aurora"\\
    ),
end;

request(JRM_067,
    START_TIME,2022-099T14:35:47.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I3_S1",8,1,0,"IDIS SDIS","HSSL","ENABLE","DARK","DISABLE",0,274,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-4565,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:04:45\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"North Aurora"\\
),
end;

request(JRM_068,
    START_TIME,2022-099T14:40:52.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>62</b>	of <b>84</b>

```

JRM_SCI_PAR("SCI_I3_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,274,5000,5000,"LOW","LOW",
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:04:45\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"North Aurora"
    ),
end;

request(JRM_069,
    START_TIME,2022-099T14:45:57.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,274,5000,5000,"LOW","LOW",
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:04:45\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"North Aurora"
    ),
end;

request(JRM_070,
    START_TIME,2022-099T14:51:03.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	63	of 84

```

        ),
        command(2,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,274,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",-4537,"NO_SUMMED_SCI")
        ),
        command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
        ),
        command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME,\00:04:44\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\\"North Aurora"\)
        ),
end;

request(JRM_071,
        START_TIME,2022-099T14:56:39.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2465)
        ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",9,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,400,75,5000,"LOW","LOW",
"POINT",-57343,75,5000,"LOW","LOW","SPIN",-8031,"NO_SUMMED_SCI")
        ),
        command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
        ),
        command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME,\00:05:15\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\\"North Pole"\)
        ),
end;

request(JRM_072,
        START_TIME,2022-099T15:02:14.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>64</b>	of <b>84</b>

```

command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",7,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,533,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-8012,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:04:15\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"North Pole"\'
    ),
end;

request(JRM_073,
        START_TIME,2022-099T15:06:49.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",7,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,533,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-7993,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:04:14\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"North Pole"\'
    ),
end;

request(JRM_074,
        START_TIME,2022-099T15:11:24.000,
        TITLE, "jm0410_JRM_Science",

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>65</b>	of <b>84</b>

```

REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",7,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,534,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-7974,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:04:14\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"North Pole"\'
),
end;

request(JRM_075,
    START_TIME,2022-099T15:15:59.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",7,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,534,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-7946,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:04:14\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"North Pole"\'
),
end;

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>66</b>	of <b>84</b>

```

request(JRM_076,
        START_TIME, 2022-099T15:20:34.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
            JRM_SET_PAR(74, 2465)
        ),
    command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SET_PAR(74, 2465)
        ),
    command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME, \00:04:14\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
          SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
          TEXT, \North Pole\
        ),
end;

request(JRM_077,
        START_TIME, 2022-099T15:25:09.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
            JRM_SET_PAR(74, 1250)
        ),
    command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SET_PAR(74, 1250)
        ),
    command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME, \00:06:48\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
          SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
          TEXT, \Limb Up\
        )

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>67</b>	of <b>84</b>

```

        ),
end;

request(JRM_078,
        START_TIME,2022-099T15:32:17.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,1250)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",10,1,0,"IDIS SDIS","HSSL","ENABLE","DARK","DISABLE",0,186,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",16986,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:05:47\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \"Limb Up\"
),
end;

request(JRM_079,
        START_TIME,2022-099T15:38:24.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,1250)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",10,1,0,"IDIS SDIS","HSSL","ENABLE","DARK","DISABLE",0,199,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",18766,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:05:47\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>68</b>	of <b>84</b>

```

        note(1,
              SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
              TEXT,\\"Limb Up"\\
            ),
        end;

request(JRM_080,
        START_TIME,2022-099T15:44:32.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,1250)
      ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,178,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",20700,"NO_SUMMED SCI")
      ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
      ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
      ),
command(5,
        SCHEDULED_TIME,\00:04:45\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
      ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
      ),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\\"Limb Up"\\
    ),
end;

request(JRM_081,
        START_TIME,2022-099T15:49:29.000,
        TITLE, "jm0410_Technical_Block",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
      ),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\\"Imager Delay Set to Zero"\\
    ),
end;

request(JRM_082,
        START_TIME,2022-099T15:51:15.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
      ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,178,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",20700,"NO_SUMMED SCI")
      )

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>69</b>	of <b>84</b>

```

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT, \"Radiation_Sequence_41_018_PetersBelt_2022-099T15:51:15.000\""
),
end;

request(JRM_083,
    START_TIME,2022-099T16:01:53.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,1250)
),
command(2,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,1250)
)
);

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>70</b>	of <b>84</b>

SCHEDULED\_TIME,\00:00:02\,FROM\_PREVIOUS\_START,

```
JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,241,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",-18656,"NO_SUMMED SCI")
),
command(3,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:09:52\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\\"Limb Down"\)
),
end;
```

```
request(JRM_084,
START_TIME,2022-099T16:12:05.000,
TITLE, "jm0410_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,1250)
),
command(2,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
```

```
JRM_SCI_PAR("SCI_I1_S1",16,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,177,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",-14707,"NO_SUMMED SCI")
),
command(3,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:08:49\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\\"Limb Down"\)
),
end;
```

```
request(JRM_085,
START_TIME,2022-099T16:22:16.000,
TITLE, "jm0410_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>71</b>	of <b>84</b>

```

        JRM_SET_PAR(74,0)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I3_S1",10,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,209,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",-11772,"NO_SUMMED SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:05:46\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \"South Aurora"\'
),
end;

request(JRM_086,
        START_TIME,2022-099T16:28:23.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I3_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,362,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",-10851,"NO_SUMMED SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:04:44\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \"South Aurora"\'
),
end;

request(JRM_087,
        START_TIME,2022-099T16:33:28.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>72</b>	of <b>84</b>

```

        KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I3_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,298,5000,5000,"LOW","LOW",
    "POINT",-57343,5000,5000,"LOW","LOW","SPIN",-10231,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:09:51\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"South Aurora"
),
end;

request(JRM_088,
    START_TIME, 2022-099T16:43:39.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,408,75,5000,"LOW","LOW",
    "POINT",-57343,75,5000,"LOW","LOW","SPIN",-8036,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:04:44\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"South Pole"
),
end;

request(JRM_089,
    START_TIME, 2022-099T16:48:44.000,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
<b>JUNO/JIRAM</b>		Page	73	of 84

```

        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I3_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,243,5000,5000,"LOW","LOW",
        "POINT",-57343,5000,5000,"LOW","LOW","SPIN",-7732,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \"South Aurora"
    ),
end;

request(JRM_090,
        START_TIME,2022-099T16:58:54.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,408,75,5000,"LOW","LOW",
        "POINT",-57343,75,5000,"LOW","LOW","SPIN",-5516,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:04:45\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \"South Pole"
),
end;

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>74</b>	of <b>84</b>

```

request(JRM_091,
        START_TIME,2022-099T17:03:59.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SET_PAR(74,0)
    ),
JRM SCI PAR("SCI_I3_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,205,5000,5000,"LOW","LOW",
            "POINT",-57343,5000,5000,"LOW","LOW","SPIN",-5838,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \"South Aurora"
    ),
end;

request(JRM_092,
        START_TIME,2022-099T17:14:10.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SET_PAR(74,2465)
    ),
JRM SCI PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,455,75,5000,"LOW","LOW",
            "POINT",-57343,75,5000,"LOW","LOW","SPIN",-4584,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:04:44\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT, \"South Aurora"
    ),
end;

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>75</b>	of <b>84</b>

```

        TEXT, \"South Pole"\n),
end;

request(JRM_093,
        START_TIME, 2022-099T17:19:15.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
            JRM_SET_PAR(74,0)
    ),
    command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I3_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,244,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-5546,"NO_SUMMED_SCI")
    ),
    command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
    ),
    command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
    ),
    command(5,
            SCHEDULED_TIME, \00:09:51\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
    ),
    command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
    ),
    note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \"Io FP South"\n),
end;

request(JRM_094,
        START_TIME, 2022-099T17:29:25.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
            JRM_SET_PAR(74,0)
    ),
    command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I3_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,169,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-4916,"NO_SUMMED_SCI")
    ),
    command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
    ),
    command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
    ),
    command(5,
            SCHEDULED_TIME, \00:09:50\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
    ),
    command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
    )

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>76</b>	of <b>84</b>

```

),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\"Io FP South\"\\
),
end;

request(JRM_095,
        START_TIME,2022-099T17:39:35.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SET_PAR(74,2465)
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:10:53\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\"Atmosphere\"\\
),
end;

request(JRM_096,
        START_TIME,2022-099T17:50:47.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SET_PAR(74,2465)
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
<b>JUNO/JIRAM</b>		Page	77	of 84

```

command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"\
),
end;

request(JRM_097,
        START_TIME,2022-099T18:00:57.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,438,75,5000,"LOW","LOW"
","POINT",-57343,75,5000,"LOW","LOW","SPIN",-3815,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"\
),
end;

request(JRM_098,
        START_TIME,2022-099T18:11:07.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,415,75,5000,"LOW","LOW"
","POINT",-57343,75,5000,"LOW","LOW","SPIN",-3607,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>78</b>	of <b>84</b>

```

        SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Atmosphere\"\n
    ),
end;

request(JRM_099,
    START_TIME,2022-099T18:21:17.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,395,75,5000,"LOW","LOW",
    "POINT",-57343,75,5000,"LOW","LOW","SPIN",-3424,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Atmosphere\"\n
),
end;

request(JRM_100,
    START_TIME,2022-099T18:31:27.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,376,75,5000,"LOW","LOW",
    "POINT",-57343,75,5000,"LOW","LOW","SPIN",-3261,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>79</b>	of <b>84</b>

```

        JRM_SCIENCE ()
),
command(5,
    SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"\'
),
end;

request(JRM_101,
    START_TIME,2022-099T18:41:37.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,360,75,5000,"LOW","LOW",
    ",POINT",-57343,75,5000,"LOW","LOW","SPIN",-3117,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"\'
),
end;

request(JRM_102,
    START_TIME,2022-099T18:51:47.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,344,75,5000,"LOW","LOW",
    ",POINT",-57343,75,5000,"LOW","LOW","SPIN",-2986,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>80</b>	of <b>84</b>

```

        ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Atmosphere"
    ),
end;

request(JRM_103,
    START_TIME,2022-099T19:01:58.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,331,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-2869,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"
),
end;

request(JRM_104,
    START_TIME,2022-099T19:12:08.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,319,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-2761,"NO_SUMMED SCI")
),

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
		Page	<b>81</b>	of <b>84</b>

```

command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT, \Atmosphere\"
    ),
end;

request(JRM_105,
        START_TIME,2022-099T19:22:18.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,307,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2663,"NO_SUMMED SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT, \Atmosphere\"
    ),
end;

request(JRM_106,
        START_TIME,2022-099T19:32:28.000,
        TITLE, "jm0410_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,307,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2663,"NO_SUMMED SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT, \Atmosphere\"
    ),
end;

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>82</b>	of <b>84</b>

```

JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,297,75,5000,"LOW","LOW
","POINT",-57343,75,5000,"LOW","LOW","SPIN",-2573,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"
),
end;

request(JRM_107,
    START_TIME,2022-099T19:42:38.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,288,75,5000,"LOW","LOW
","POINT",-57343,75,5000,"LOW","LOW","SPIN",-2491,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:50\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"
),
end;

request(JRM_108,
    START_TIME,2022-099T19:52:48.000,
    TITLE, "jm0410_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
)

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	1.0	20/10/2022
<b>JUNO/JIRAM</b>		Page	<b>83</b>	of <b>84</b>

```

        ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,279,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-2413,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Atmosphere"\)
    ),
end;

request(JRM_109,
    START_TIME,2022-099T20:02:51.000,
    TITLE, "jm0410_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
    SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"NaN"\)
),
end;

request(JRM_110,
    START_TIME,2022-099T20:07:11.000,
    TITLE, "jm0410_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

```

		<b>JIR-IAPS-SY-007-2022</b>		
		Issue	<b>1.0</b>	20/10/2022
		Page	<b>84</b>	of <b>84</b>

```

        VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\\"NaN"\\
),
end;

request(JRM_111,
        START_TIME,2022-099T20:07:27.000,
        TITLE, "jm0410_JRM_Heater_Op",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        THRM_SET_PT_SEL("JIRAM_OH","NON_OPERATIONAL")
),
command(2,
        SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_DECON","NON_OPERATIONAL")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_ELECT_BP","NON_OPERATIONAL")
),
end;

$$EOF

```